



Description of Corners

○	Kind	Corner	Trees	Bearing
1	Section	Rock	40' Fir 36' " 40' " 8' "	S79°E 49.5 feet S46°W 25° N24°W 18° N34°E 53°
2	1/4 Cor.	Pipe	12' W.O. 14' W.O.	S75 1/2°W 36° S18°W 132°
3	1/16 Cor.	Pipe	12' B.O.	S45 1/2°W 62°
4	1/4 Cor.	Pipe	14' Ash 16' "	N24°E 26° N59°W 54°
5	Sec. Cor.	Pipe	Original	B.T. Remarkd
6	1/4 Cor.	Pipe	16' Fir 24' B.O.	S17°E 53° N44°W 116°
7	1/4 Cor.	Pipe	14' W.O. 30' "	S41 1/2°W 26° N85°E 47°
8	SW. Cl. 37	Pipe	20' B.O.	N47°E 113°
9	SE. Cl. 37	Pipe	9' W.O. 6' W.O.	N85 1/2°W 42° S55°E 168°
10	Prop. Cor.	Pipe	East side Co. Road.	
11	" "	Pipe	6' W.O.	S47 1/2°W 18°
12	" "	Pipe	14' W.O.	N79°E 50°
13	1/16 Cor.	Pipe	8' B.O.	S46°W 12°
14	1/4 Cor.	Stake	18' B.O. 20' Laurel	N55°W 43° S34°E 20°
15	NE. Cl. 56	"	18' Fir Pridge Pier	S54°W 68° N43°E 196°
16	1/16 Cor.	4' W.O.	10' Fir	N61°E 20°
17	Prop. Cor.	Pipe	18' W.O.	S80°W 41°
18	NW. Cl. 56	I. Bar	30' B.O. 30' Pine	S1°30'E 84° N42 1/2°W 94°
19	Cl. 56	Rock	12' B.O.	N45°E 275°

**UNITY SURVEYORS FILE DATA
 DO NOT REMOVE FROM OFFICE**

Survey Sec. 31 T.28S. R.7W
 Sec. 7-6 T.29S. R.7W.
 Made for I. B. Nichols et al
 Surveyed Nov. 8 1922 By G.G. Stewart,
 Registered Professional Engineer No. 1250
 Scale 1 in = 500 ft.