

M 121-69

FILED

Date: 4/24/95 By: JP

This survey consists of:

Map: M 121-69

Narrative: _____

Corner Rpt: (3) CS 63/161

OREGON CORNER RESTORATION FORM

Section 34 Township 23S Range 4W

County DOUGLAS Date 3/31/95

DOUGLAS COUNTY
SURVEYOR

Corner Designation

W 1/16 27
 *
 34

- Condition Report Only
- Not Found
- Renewed
- Unrecorded
- Surveyed In
- Referenced Out

Previous Renewals/Surveys, etc. _____


NONE

Monument(s) & Accessories Found: (Condition and Source)

FOUND 1/2" I.P., NOT OF RECORD S. 88°37'33" E
30.29 FEET FROM CORNER

Monument Detail

Sketch



Monument Set (Procedures and Description)

SET 5/8" x 30" IR WITH YELLOW PLASTIC CAP
"BRANCH ENG LS 2609" BY SURVEY. SEE RECORD
OF SURVEY FILED SEPARATELY

New Accessories

A 19" FIR BEARS N 45° W 28⁶ FT SCRIBED
"W 1/16 S 27 BT"

A 12" FIR BEARS S 2° W 14⁸ FT SCRIBED
"W 1/16 S 34 BT"

Location & Comments

Surveyor's Seal

Compass Declination _____

Firm/Agency _____

BRANCH ENGINEERING

Address 310 N. 5TH ST

SPRINGFIELD, OR

Party Chief T. MONTGOMERY

Notes _____

Witness G. CARTIER LS 2658

REGISTERED
PROFESSIONAL
LAND SURVEYOR

David L. Brown

OREGON
JULY 20, 1993
DAVID L. BROWN
2609

EXPIRES 12/31/95

M 121 - 69

FILED

Date: 4/24/95 By: JP

This survey consists of:

Map: M 121 - 69

Narrative: _____

Corner Rpt: (3) 4-5 63/161

OREGON CORNER RESTORATION FORM

Section 34 Township 23S Range 4W

County DOUGLAS Date 3/31/95

DOUGLAS COUNTY
SURVEYOR

Corner Designation

W 1/16 34
X

- Condition Report Only
- Not Found
- Renewed
- Unrecorded
- Surveyed In
- Referenced Out

Previous Renewals/Surveys, etc. _____


NONE

Monument(s) & Accessories Found: (Condition and Source)

NONE

Monument Detail

Sketch



Monument Set (Procedures and Description)

SET 5/8" X 30" IR WITH YELLOW PLASTIC CAP
"BRANCH ENG LS 2609" BY SURVEY. SEE RECORD
OF SURVEY FILED SEPARATELY.

New Accessories

A 18" FIR BEARS N 25° E 140⁴ FT SCRIBED
" W 1/16 S 34 BT "

A 13" FIR BEARS N 80° W 215⁷ FT SCRIBED
" W 1/16 S 34 BT "

Location & Comments

Surveyor's Seal

Compass Declination _____

Firm/Agency _____

BRANCH ENGINEERING

Address 310 N. 5TH ST

SPRINGFIELD, OR

Party Chief T. MONTGOMERY

Notes _____

Witness G. CARTIER, LS 2658

REGISTERED
PROFESSIONAL
LAND SURVEYOR

David L Brown

OREGON
JULY 20, 1993
DAVID L. BROWN
2609

EXPIRES 12/31/95

C.S. File No. 63/161 - 22

M 121-69

FILED

Date: 4/24/95 By: JP

This survey consists of:

Map: M 121-69

Narrative:

Corner Rpt: (3) C.S. 63/161

OREGON CORNER RESTORATION FORM

Section 34 Township 23S Range 4W

County DOUGLAS Date 3/31/95

Corner Designation

CW 1/16 S 34

DOUGLAS COUNTY SURVEYOR

- Condition Report Only
- Not Found
- Renewed
- Unrecorded
- Surveyed In
- Referenced Out


Previous Renewals/Surveys, etc.

NONE

Monument(s) & Accessories Found: (Condition and Source)

NONE

Monument Detail



Monument Set (Procedures and Description)

SET 5/8" x 30" IR WITH YELLOW PLASTIC CAP "BRANCH ENG LS 2609" BY SURVEY. SEE RECORD OF SURVEY FILED SEPARATELY.

New Accessories

A 19" FIR BEARS WEST 42 1/2 FT SCRIBED "CW 1/16 S 34 BT"

A 26" FIR BEARS S 33 degrees E 11 1/2 FT SCRIBED "CW 1/16 S 34 BT"

Location & Comments

Surveyor's Seal

Compass Declination

Firm/Agency

BRANCH ENGINEERING

Address 310 N. 5TH ST.

SPRINGFIELD, OR

Party Chief T. MONTGOMERY

Notes

Witness G. CARTIER, LS 2658

REGISTERED PROFESSIONAL LAND SURVEYOR

David L. Brown

OREGON JULY 20, 1993 DAVID L. BROWN 2609

EXPIRES 12/31/95