

PRIMARY CORNER DESCRIPTION Sec. Cor. for 18 & 19 only, T20-8

Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____

GLO survey by W. P. Wright, U.S. Deputy Surveyor, under Contract #486, dated August 1, 1883 (DCSO rec Vol. 1 Pg 317)

Set post 6" dia., 4 ft. long, with marked stone 12" in ground for cor. to secs. 18, 19, 13 and 24, marked T20S S18 on NE.; R8W S19 on SE.; R9W S24 on SW.; S13 on NW. faces, with 3 notches on N. & S. edges, from which

Hemlock 12" dia., bears N.14°E., 28 lks. dist. mkd. T20S R8W S18 BT.

Hemlock 12" dia., bears S.79°E., 42 lks. dist. mkd. T20S R8W S19 BT.

Fir 6" dia., bears S.54°W., 19 lks. mkd. T20S R9W S24 BT.

Cedar 20" dia., bears N.47°W., 65 lks. mkd T20S R9W S13 BT

GLO Resurvey by Thomas Tillman; Raymond Bicknell; Hans Thielsen; & Joseph Gawron, Cadastral Surveyors, under Group #305, Surveyed Aug. 1953/Sept. 1954 - (DCSO records Vol. 29 Page(s) 12348-49)


The cor. of sec. 18 & 19, determined from the original bearing trees:

A Cedar 60" dia., bears N.4°E., 28 lks. dist. mkd. with a charred blaze. (Rec. brg. N.14°E.)

A Hemlock stump 18" dia., bears S.79°E., 49 lks. dist. mkd. BT S19 T20S R8W. (Rec. dist. 42 lks.)

A Cedar 36" dia., bears N.47°W., 65 lks. dist., with marks T S13 T20 R9W visible on partly healed blaze.

At the corner point
Set an iron post, 3 ft. long, 2" dia., 28" in the ground, with brass cap mkd:



from which a new bearing tree:
A Hemlock 28" dia., bears S.10°E., 100 lks. dist. mkd. T20S R8W S19 BT.

BLM Remonumentation of corner by Wm. Glenn; C. Albert White and James E. Jelley, Cadastral Surveyors, under Group #'s 350 and 635, surveyed April/May 1967 - (DCSO records Vol. 43 Page(s) 16713)

The cor. of secs. 18 & 19 only, monumented with an iron post 2" dia., firmly set, projecting 8" above ground with brass cap mkd. in 1954, (Cont. Next Page)

PRIMARY CORNER DESCRIPTION Sec. Cor. for 18 & 19 only, T20-8

Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____
Alias	_____	Description	_____

from which the remains of the original bearing trees:
A Cedar 60" dia., bears N.4°E., 28 lks. no marks remaining on burned blaze.
A burned Hemlock stump 18" dia., bears S.79°E., 42 lks. no marks remaining on burned blaze. (Rec. 49 lks.)
A Cedar 37" dia., bears N.47°W., 65 lks. with scribe marks T20S R8W visible on partially healed blaze.
and a bearing tree mkd. in 1954:
A Hemlock 32" dia., bears S.10°E., 100 lks. with scribe marks T20S R8W S19 BT visible on open blaze.
and a new bearing tree:
A Hemlock 11" dia., bears N.89°E., 67 lks. mkd. T20S R8W S18 BT.
Set a 5 ft. steel fence post alongside the iron post.

BLM dependent resurvey by Edith M Forkner, Cadastral Surveyor, under Group #2313, surveyed March/Aug. 2011 - (DCSO records Vol. 58 Page(s) 22892)

The cor. of secs. 18 & 19 only, on the W bdy of T20S R8W monumented with an iron post, 2" dia., firmly set, projecting 6" above ground, with a bronze cap (properly) mkd. from which the remains of an original bearing tree
A decayed cedar stump, 45" dia., bears N.47°W., 42.9 ft., no marks visible.
A decayed cedar stump, 77" dia., bears N.4°E., 18.5 ft., no marks visible.
and the remains of a BT mkd. by Tillman, et al., in 1953-54
A decayed hemlock stump, 21" dia., bears S.10°E., 66.0 ft., no marks visible.
and new bearing trees
An alder, 12" dia., bears N.26°E., 3.5 ft., mkd. T20S R8W S18 BT on bark.
A W.Fir, 13" dia., bears S.19½°E., 16.4 ft., mkd. T20S R8W S19 BT.
A steel fence post is alongside the cor.

BLM dependent resurvey by Edith M Forkner and Aaron M. Graham, Cadastral Surveyors, under Group #2312, surveyed July/Oct. 2011 - (DCSO records Vol. 58 Page(s) 22966)

The cor. of secs. 18 & 19 only, on the W. bdy. of the Tp., monumented with an iron post, 2" dia., firmly set, projecting 6" above ground, with a brass cap mkd. and accessories as -as described in the 2011 official survey by Forkner

continued next page

TOWNSHIP 20 RANGE 09 POINT IDENTIFIER # 700342

PRIMARY CORNER DESCRIPTION Sec. Cor. for 18 & 19 only, T20-8

Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____
Alias _____	Description _____

Ronald L Rice - Jan. 2016 - C.S. file 65/93-7

Found - 2½" GLO brass cap on iron pipe, dated 1954
45" Burned decayed cedar stump bears N.47°W., 42.9',
no marks.
77" Burned decayed cedar stump bears N.4°E., 18.5',
no marks.
21" Burned decayed hemlock stump bears S.10°E.,
66.0', no marks.
13"x5' Alder stump bears N.26°E., 3.5', bark scribe
visible.
13"x5' D.Fir stump bears S.19½°E., 16.4', burned
face.
New - Corner falls in recent logged and burned unit.
Placed steel posts adjacent to corner north and
south.
High stump bearing trees have red painted band and
face, plus bearing tree tag.
Compass Declination 16° East.