

Field Book # 95

Field Book # 95

From

*1879*

188

To

*1880*

188

95

10 for the 8  
2 Schaud 8 no 1

1

### Sencies Report

The number sent off each  
day with date  
1899  
gun 2 Schaud no-1

Approx Pop  
3000 }  
416

2	"	no 2	8	
3	"	" 1	26	
"	"	" 2	6	49
4	De	1	7	
4	23	2	5	38
5	Q 33	1	8	52
5	.	2		
6	Al 43	1	8	
6	a	2		41
7	a	1		
7	a 53	2	7	49
8	a 63	1	9	50
8	a	2		
10	a 72	1	6	44
10	a	2		
11	a 79	1	6	34
11	a	2		
12	a 91	1		49
12	a	2		

2

Apr

Pop

449

June 13 Family School no 100

13 General School no 2

14 Family Sch. No 107

14 General Sch no 2

16 Family Sch 1 No 115

16 General Sch 2

17 Family Sch 1 - No 120

17 General " 2

18 Family Sch 1 No 130

18 General " 2

18 Sp. " 1

18 Carey Infirmary 1

19 Family Sch 1 No 138

19 General " 2

20 Family Sch 1 No 151

20 General " 2

20 Soldier Sch 1

448

48

30

44

8

592

34

4

53

6

48

5

53

11

167

10 Family Sch 1 - No 160

2 Gen

1 Sol

21 Family School 1 - No 160

21 General " 2

" Auditor

23 Family School 1 No 172

General " 2

First year 176 - 7-1 Jan

24 Family School 1 - No 184

General Sch " 2

Sol 1

25 Family 1 No 193

Gen 2

Sol - Sec 1

26 Family 1 - No 201

General 2

Sol

Soc Hall 1

Box 2

3

167

52

8

51

8

40

7

46

7

49

6

2

703

4

523

405

June 27 Family Schedule 1 - No 207  
Gen 1 - 2 June 5

Death Schedule 5-  
Natives 1

June 28 Family Schedule 1 No 218  
Gen Schedule 2, 6

June 30 Family Sec 1 - No 225  
39  
44  
Gen Sec 2 6  
Sol 1

July 1 Family Schedule 1 - 232  
Gen Sec 2 2

July 2 Family Sched 1 No 238  
Gen Schedule 2, 1

July 3 Family Sched 1 - No 242  
Gen Sched 2 2  
Crippled Sec 5 1

600

5-  
602

July 4 Family Sched - 1 No 246 - 29  
Gen " 2 " 1

July 5 Family Sched - 1 No 252 - 27  
Gen " 3

658

30 days work  
Total number of  
Persons in Congregate  
Ascent 594  
Farms 94

Total number of the  
Persons in the Creek  
Process - 656  
Farms 87

656  
594  
1250  
62

Survey made for John  
Ward administrator of the  
Estate of H. Adams about  
October 30th 1892

Beginning at the S.W.  
Corner of H. Adams Dono-  
rion Claim No. 42  
T29 S.R. 5. N. Sec. 32

Thence Var 20° E.  
East 32.00 ch along rail fence  
Thence  
North 50.00 to the N. Bay of  
Claim to a point about  
65 the west of dwelling  
how

Thence Eight-hire  
West to Sumpqua river  
but part

of here

Survey made for  
R. Dreyfus Nov 1, 1892  
T27 S.R. 6 N. Sec 11

Beginning at the N.W.  
Cor of Isaac Jones  
Donation CL No 65 -  
from which C.B.T  
thence to wide.

W. back No 24 in old line  
S 87° 49' 6" E. 496 ft. to B.T  
The other tree has been  
cut along stump  
standing

of H. Smith & W. E. Baker  
Chain corner - S. corner  
Thence Along 20' to  
75.00 ch S. E. part  
thence entire

Thence in line to H. Smith  
Thence

57  
24  
79

North 2000 N Oak 5 miles  
for car tracks C.S.

From which  
N Oak 4 miles S 3 1/2  
Thence

West 2000 Set 13 Oak post

4 miles N Oak

C.S. from which

N Oak 12 miles S 47° E 79

Thence

S 24.14 ch Set post in

vicinity of same N Oak

near

Thence

S 66° E 13.90 to point in road

Thence

N 9.60 to place of beginning

9

110  
Elev

Thence N along ridge

6.50 ch Thence N 23 1/2 W

7.50 ch Thence N 01° E

8.00 " Thence N 37 1/2 W

4.00 " from which

N Oak 6 miles S 58 1/2 W 42

" 4 " " N 13° W 21

Thence N 31° E 2.00 ch

By Oak 15 miles N 01° E

Thence N 24° E 10.00 Set post

Thence N 50 1/2° E 5.50

Thence N 22° E 6.00

Thence N 20° E 2.00

Thence N 31 1/2° E 2.00

Thence N 43° E 1.3.50

Thence N 31° E 6.60

Thence N 14° E 11.50

Thence East 7.00

Thence South 20.00

Thence East 40.00

To place of beginning

500	100
<u>120</u>	<u>60</u>
620	130

Early north boundary  
 3rd of 1852 for Geo  
 Weaver.  
 Beginning at the S. E. corner  
 of the town of  
 Argenta Creek for  
 to start at a stone set  
 for the S. E. cor of Block  
 No 6.

Thence N 46° 55' W  
 460 feet to S. W. cor of B 5  
 Thence S 43° 05' W 170 feet  
 to S. W. cor of lot no 4 of  
 Block No 8  
 Thence S 46° 55' E. 100 feet  
 to N. E. cor of lot no 3 B, 8  
 Thence S 43° 05' W 176 feet  
 24 feet from S. E. cor of  
 lot 3. Thence from S. E. cor  
 of lot 3 N 46° 55' W 30 feet  
 to from lot 1 -

Thence N 45° 55' W 130  
 feet to the S. E. cor of Block  
 No 9. Thence S 43° 05' W  
 113 feet set post for  
 cor. to angle.  
 Thence from S. E. cor  
 of Block 9. N 46° 55' W  
 260 feet to S. W. corner  
 of Parkside land  
 Thence S 43° 05' W 298 <sup>65</sup>/<sub>100</sub> feet  
 to angle corner  
 Thence from N. E. cor  
 of Block no 9. lot no 8  
 N 46° 55' W 50 feet  
 Thence for Geo Weaver  
 set cor for S. E. cor of  
 lot no 3 of Block no 4  
 620 feet N 46° 55' W of  
 the beginning cor of  
 town boundary  
 Thence N 46° 55' W 100 feet

$$\begin{array}{r} 23 \\ 65 \\ \hline 73 \\ 1420 \\ 2311 \\ \hline 3936 \\ 27 \end{array}$$

To S m cor of Block  
 the 4 down shaft in road  
 of Oak tree. Thence S 43° W  
 S. 100 feet Thence S 45° E,  
 100 feet

$$\begin{array}{r} 2300 \\ 66 \\ \hline 13800 \\ 13800 \\ \hline 151800 \\ 150 \\ \hline 15668 \end{array}$$

Cor to S. 80. 32.30 129 12.5 m  
 1096 S of 64 to East of S. E.  
 Cor of S. 100 long. of 44.  
 from which Arroyo B T  
 1 Block 8 in view to S 62° E, 310 ft  
 " " 12 " " " S 73° E 466  
 1/4 S cor bet Sec 33 & 4  
 100 ft 10 in view to S 31° W, 32 ft  
 " " 12 " " " S 67° E, 38 ft

Survey for the purpose  
 of finding the probability  
 of taking the town of  
 Canyonville  
 Beginning at a stake  
 in center of main  
 street in front of town  
 lot. Thence in center  
 of main street, starting  
 to a S. 10th grange, near  
 of 5 feet 8 in fall.  
 Thence in a true direct  
 to Canyon creek  
 about

15.00 ch  
 8.00 ch  
 23.00

down grade 5 feet 9 in

14

35542 m

Nov 18<sup>th</sup> 8.

Cen to Secs 3, 4, 33 & 34, 1/4  
 N. Oakson and S 70's 9  
 " 10 " " S 45' E. 20 "  
 " 10 " " S 55' W 22 "  
 " 8 " " S 40' W 30 "

The creek is only  
 89.50 ch.

3.44 East of Subst line

West

South

16.56

13-

$$\begin{array}{r} 8000 \\ 890 \\ \hline 7110 \end{array}$$

Survey made for  
 Dewey Alterberry

December 27 & 28, 1892

Beginning at the S.E.

Corner of the W. Trak

Donation C.C. No 40

Original B.T. Stewins

to seat at N. Oak 18 in arc

tree S 15° E. 19.16 cur 1

Thence West

Nov 19<sup>th</sup> 8

24.00 ch set post from which

Tree 10 in arc to S 40° E 40 ch

Thence South

21.00 ch to S bound of Sec =

23 - the East of 14

cur Section 23 & 26 326

S.E. of N. set post

Original corner 140' 0" 10 ch

Thence East

To fence on fraction

of land sold by

W. Frank to Dewey

Spence on line of  
Kensco N 44 1/2 E

31.00

Government Notes

ch

Start

Between S 19 x 20 - Bar 18° 15' E

31.00

Bar 36 in elev

32.00

Looking S-lens crest 30 th

40.00

Set on Sec part - from where

W. Oak 14 in elev S 7 1/2 E 500'

8.000

B " 16 " " S 17 1/4 W 640'

Set part on to Sec 17 18 19 x 20

B Oak 20 in elev S 88 1/2 W 1444'

W " 18 " " S 80 1/2 W 1500'

Moore trench (to of the tree down

589 40 W

on tree line bet Sec

17 x 20 - Bar 18° 15' E

39.75 -

Set on Sec part - from which

B Oak 12 in elev S 30° W 199'

" " 16 " " S 81 1/4 W 260'

79.50

Sec cor

589 44 8

On tree line bet Sec 18 x 19

100

Sight bank of Looking S-lens on

41.70

Set on Sec part - from which

B Oak 15 in elev S 52° W 40 th

18

Black 16 in air to 175° N 19 1/2

8170 See Cen

8180

Set Sec 17 & 18 - Bar 18° 15'

Set for See post - from which

Black 28 in air to S 58° N 59 1/2

" " 13 " " S 88° E. 25 1/2 "

Bar 18° E.

8200

Set post - cen to Sec 7. 8. 17 & 18

Black 26 in air to S 65° N 56 1/2

" " 36 " " S 47 1/2 N 11 1/2 "

" " 12 " " S 61° E 12 "

" " 10 " " S 42 1/2 E. 55 "

Head Survey made for the Beckings June 18 1885 - J 28 5 12 6 W

From 1/4 S cen to Sec 17 & 18

Bar 19° 20'

Post 2000 Set post - from which

Bar 18° 45'

Black 40 in air to 110° N 102 1/2

2060

176

47725 - 4638  
4450 -  
118  
19

Thence South 7 1/2

to S 91 cen of Coy Donation

Cl. No. (49)

Thence S 66° W

Intersect 16, 31 East of 1/4 post -

Set post - from which

in Cack 30 in air to S 22 1/2° N 139

B Cack 36 " " S 86° W 113

Bar 19° 15' E

Thence from 1/4 Sec post -

between Secs 17 & 18

Bar 18° 20' E

S 89° 40' E 18.93 ch Set post - from which

B Cack 42 in air to S 34° E. 30 1/2

" " 15 " " S 34° N 44 "

6245- 5300  
6177 945  
168 6245

3389  
4787  
7837  
834  
1884

20

Spencer made for  
David Lenoxy Jan  
4<sup>th</sup> 1853.  
J. W. Patterson & A. M.  
Christinger Channing Shuman  
Begin at a point  
established by W  
Theal Co Supt of m  
181-1885.  
2000 ch. Post of 1/4 S  
Cor between S 60 1/4 &  
19. J 28 S R 6 W  
from which  
B. B. 40 m and 180 W  
102 hms  
Thence South -  
over 18° 45' E  
9.45 ch. Lat of 600 feet (Mar 1884)  
C-S. From which  
B. B. 30 m and 6577 1/2 W 150  
Thence West  
350 ft. at N. M. corner

7413  
745-  
3

21

of John Cox Donat  
100 hms of 49  
Set post as per original  
B. T. to wit -  
B. B. 23 m and 888 1/2 S  
Thence  
44.13 ch. to center of  
County Road - Set  
post and Rock 16x4x  
3 m. from which  
W. Cap & m and 6 M 51 1/2 S 40  
Thence following  
the center of turn  
as road  
S 73 1/4 E 23.71. Set post -  
Thence  
S 88 1/4 E 19.31 to a rock corner  
Set by W. H. B. 20  
in center of Co R  
Thence  
North 6.177 to corner established  
by W. Thiel Donat  
B. T. to wit

19.37  
19.97  
39.34

22

B. B. 15 in. to S 34° N 14 1/2°  
N 34° E 30'  
Thence

S 89° 40' N 18.37 to 1/4 S. cor. which is  
a Rock Original B.T.  
N. B. 30 in. to S 56° 1/2° N 257' to  
" 20 " " S 55° E 257 "  
Thence

S 89° 40' N 19.97 or to place of  
beginning 2 45.65 acres  
Charge \$16.70

Deed from David  
Demoy to Wm. Bunker  
Conner about \$3500.

There has been two  
tracts of the Reservoir  
of the donation sold  
to that 6 acres from David  
Demoy to James Dillon

23

and 1 acre sold by  
John Cox to Daniel Kelly  
Received in April 11 page  
96 - Oct 28 - 1849

Thence S on E line  
of lot 53 ch

Thence N 37.69 ch

Thence N 53 ch

Thence E 37.69 ch

to place of begin  
Com 2000 acres

Crossin to Secs 19.20.29 & 30

To 21 S. R. 4 M - Dec 19 1/2 E

Stream to the west C 18 1/2

The above Secs are

To 30 in chain to 46 1/2 lbs

24 " " " S 50° E 17 "

Graph 8 " " " S 72° W 31 "

Dogwood 4 " " " S 83° W 70 "

North from 14 Secs

to 19 & 30 - to 20 in front

th which is part of an old

line 15 in chain to 18 1/2 lbs

18 " " " S 34° W 20 "

14 3 above is a part of an old

line 10 in chain to 8 3/4 lbs

12 " " " S 40° W 30 "

South to 10.90 County Road

Lewis Schaffin Road

from Section Center

To Secs 19.20.29 & 30

To 21 S. R. 4 M - Dec 19 1/2 E

Thence N 80 1/2° W 3.5-6

Thence S 87° W 9.00

To C & C R R Road

Thence N 51° 30' W 4.00

Thence N 63 1/2° W 1.00 pass

cut at 500 feet from

of School house beam

S 11° E. 1.85 - at

Thence S 64° W 4.80 to a

trip post 14 feet long 4 in

Square and intersection

of County Road

and quarter post between

Sec 19 & 30 - 221 S R 4 M

Secs S 78° W 15.50 ch

School Post No 8

Pur to Sea 35-36 172  
 Towards tip line  
 Y Oak 20 in air to S 83° N 109 to  
 " 12 " " S 63° N 74 "  
 " 10 " " S 71° N 157 "  
 No tree near boat of line

1895 in Nov 29° 30' E  
 4000 Set for sea part but S 2435  
 Y Oak 24 in air to S 45° N 132  
 N " 18 " " S 81° N 957

J 26 S 136-76  
 N. but sea 35-436 Nov 20 1/2 E  
 Set for sea part from within  
 Y Oak 14 in air to S 52° E 63 to  
 N " 12 " " S 72° N 60 "

Nov 24 1/2  
 8000 Set part sea to sea 25-26.5 736  
 N Oak 10 in air to S 42° E 57 to  
 " 10 " " S 21° N 25 "  
 Y " 12 " " S 28° E 10 "  
 " 15 " " S 45° N 62

North but sea 25-26  
 Nov 20° 5' E  
 4000 Set for sea part  
 N Oak 28 in air to S 62° N 112  
 " 20 " " S 26° E 58  
 Nov 15° E

J 27 S 125-76  
 Cur to sea 15-16.2 1722  
 N Oak 12 in air to S 85° E 345 to  
 " 14 " " S 54° E 234  
 " 20 " " S 6 1/2° N 424  
 No tree in sea 16.000

Nov 15 but S 159 1/2 E  
 Nov 18 25° E  
 2150 Deer Creek 20-20.000  
 4000 Set for sea part from within  
 N Oak 15 in air to S 36 1/4° E 412 to  
 Y " 18 " " S 57° N 545 B

28

Declination for Jan 93

Jan 16  $20^{\circ} 50' 16'' + 29''$ 17  $20^{\circ} 38' 23'' + 30''$ 2 50

9 AM

 $20^{\circ} 35' 53''$ 1 30

2034 23

noon

1 30

2032 53

3 PM

18  $20^{\circ} 26' 07'' + 31''$ 2 35

2023 32

9 AM

1 33

2021 59

noon

1 33

2020 26

3 PM

19  $20^{\circ} 13' 28'' + 32''$ 2 40

2010 48

9 AM

1 36

2009 12

noon

1 36

2007 36

3 PM

29

Decl for Jan 21 51 1853

19° 47' 02" day 34" &amp; time

4' 32"

of hour

19° 42' 30" Noon 28 feet 0 in

1 22

19° 40' 48" 3 P.M.

Lat 43° 18' .00

N.E. cor of S. Alaska

D. C. S. cl. 41

$$\begin{array}{r} 22 \\ 47 \\ \hline 69 \\ 12 \\ \hline 81 \end{array}$$

Survey for a County  
Road from Johnson  
to Mr MacKinnon,  
W A Taylor, Mr Parry and  
J of Hinkley Lewis.

Met at Roberts house  
the 1893. and thence  
proceed to go to the  
place of beginning slope  
at S J Woodruff and  
night. 31.91' back to our  
residence 74 ft above slack  
- 7 of 12 feet by S J Woodruff  
by an av.

Beginning at a point  
4 feet below 4 in slope  
at 18 in in the stream  
Mark with the R.  
from which  
March 12 in about  
- 18 in -

and the section on  
line but see but

24 & 25. J. 26. S.R. 3  
Mr Lewis 1760' 5.20  
& S. 17.000

Thence  
S 76° E. 8.200 to New Church Point  
S 77 3/4 E. 8.70 to do  
" 73° 20 " 7.90 to Mr. Oak 16 m  
" 60 1/4 " 10.25 to J. J. 10 m  
" 63 " 6.50 to B. Lake 30 m  
" 65 1/2 " 7.90 " " 20 m  
" 68 25 " 10.00 to point  
" 71 " 5.00 to " "  
" 80 " 6.50 " " "  
" 75 " 2.88 " " "  
" 82 1/2 " 4.07

3000 East 1 mile from  
from which  
B. Lake 20 in new S 58° E 118  
" 10 " " S 12° E 80  
Thence

S 62 1/2 E 19.50 to point

5000  
2293  
407



34

80.00  
 77.38  
 2.62  
 68.14

8.34 to front

1.57°

80.00 Set 3 M. front  
 toward 10 in. side N 70° E. 34.46  
 to back 6 in. side N 37° W 48.4

353 1/2 W. 3.82 to B back 16 in. side

1.59° to front

17 3/4 S. 9.00 to B back 40 in. side

1.1° at 700 ft. from

1.1° at 15.50 ft. front

2.22 W. 8.40 do

3.20° 6.28

2.4 6.80 to N. E. Cor of No 13 quarry

Scrub 9.14 Heron's toe

8000 Set 4 mile front

B back 10 in. side N 67° W 80.43

1.24° S. 11 1/4 S. 215°

South 15.84 to Assurances

to back 10 in. side S 69° E 25.13

to S. 8 in. side N 80° W 24.3

35

1.72  
 1.2  
 3.74  
 1.72

7.92 2.06 47  
 1.55 47

2.6-0.94 27  
 2.3 27

4.80  
 4.75  
 4.80

1000

1.2  
 2.00

1.92 1.00  
 2.92

4.00  
 3.96  
 1.200

2.6

1.2  
 3.2

1.6  
 7.92 3.1 2.00 340

3.1 8.60

7.92 4.92 0.57

3.960

4.800  
 4.752  
 4.8

137

1.2

1.4

Cor to Sec 347 85-727  
S. 2. 6 M

of Oak 16 in diam. N 15 1/2 E 145 ft  
" 13 " " N 10 W 188 "

Standard Sec cor and Quad

Post for Sec 2 & 3 228 S R 69  
bars East 9.00 ch in Right

bank of River which is set  
at 28.87 ch from cor to ea  
142. which is ea

N Oak 14 in diam to S 2 1/2 E 93 ft  
" 12 " " " N 35 E 10

bars cor in stream  
Thence West 3 bars of Sec 34  
Near 1730 E.

To Standard of Sec cor

Thence West on right bank  
of River

\* 4 Oak 10 in diam to S 85 E 234 ft  
Balm 24 " " S 51 W 152 "

Var 19° E

Set for Sec post from which  
Angl to 8 in diam to 2° E 24 ft

18 " " N 88 E 29  
var 21° E

(Sec 34 T275 R6W)

Survey made for  
J. W. Brown color Feb. 18

th 1893. of a cedar tree  
at of Whitehead chain

Seven

Beginning at a W  
Oak tree 20 in diam

marked C.S.

from which

an Oak 15 in diam to S 45 E  
in left bank of River

mech below mouth  
of Miller's see

marked C.S. B.T

B Oak 4 in diam to N 83 E. 15 ft  
marked C.S. B.T

Thence West

Var 19° E  
Creek to the cor C.S.

" 5 " " C.S.  
To an old board  
fence at a post

to here old rail fence

forms the board fence

No board fence set posts

4 in square 36 in long 18 in

ground marks here C.S.

from within

Back 8 inches N 21° E 38 1/2

W 1/2 S 2° E 38 "

cross marks C.S. B.T.

thence South along

board fence

met end of barn

to a post in right angle

Cor of board fence beams

50458

4050

in tree line set

Sec 196 S 26 S 17 S 7/8

Set 1/4 Sec in from

an Oak 12 in in S 23 1/2 N 12 00

of Oak 36 " " S 03 1/2 N 4 25

Corner to Sec. 5. 6. 288.

Maple 18 in in S 4 1/2 E. 5 97

W. Oak 24 " " N 69 1/4 W 3. 32

of " 18 " " S 64 0 1/2 W. 28

" " 16 " " S 2 1/4 W. 1. 20

ATTN: TOM

60  
1345  
7045

Survey made for  
H R Hill ches 28th 1899  
W B Lamb. W Hudson  
Chain line

Beginning at the N.W. cor  
of H R Hill Dem  
Clyde, T 26 S R 5 - N Sec 6  
Thence

13.45 ch point No 1 from which  
No. 1 and 4 were set 85 ch  
73.45 - Set point no 2  
North 3 1/2 miles N 77 1/2 N  
Thence N. 19 1/2 E

4000 ch Set point in  
Co Road - No 3 from  
Cypress to Sineau N 4 1/2 E 200  
ch 20.00 ch width of  
S.W. cor of ch  
Thence

19.57 ch Set point No 4  
from which  
Cyber no 588 D  
bears N 105 1/2 E

70 87  
39.26

Thence  
22.00 ch  
Rock 24 + 20 + 18 for cor

Thence  
39.26 ch Set point  
in file marked  
C.S. No tra near  
Thence  
2000 ch to place of  
beginning

\$ 10.00 paid

73.45  
40.00  
40.00  
10.87  
22.00  
39.26  
20.00  
55.58  
2400.00  
5-5-8

5000 2455.58  
2400.00  
5-5-8



44

Basin 18 in circ & 8 1/2 in dia  
Thence

57 1/2 m on right 5.00

9 m on line bet S 15 & 22 -  
Jan 17 55 - E.

340 review C m

2100 foot of ascent -

4000 bet on sec part from which

Lawrence 30 in circ N 22 E. 40

Mr Cook 12 " " S 12 W 37

8000 at to sec con

5895 m on tree line bet sea level

1000 Roberts Creek C 570 m

2500 another branch Roberts Creek

2700 Road

3985 bet on sec con from which

of lake 12 in circ to N 21 W 36

" 14 S 69 E 100

2970 sec con

4000  
2 1/2  
397 1/2

57 + 25 = 29 + 80

43 -

Survey made for  
John Hadfield

March 14th 1899

beginning at a point

2000 ch East of 1/4 S

point on line. See 21 & 22

Thence

East

2000 ch bet post from which

Mr Cook 8 in circ N 44 W 299

B " 8 " " S 45 E 28 28

Thence

N 7 1/2 W 39 25 - in level - 57 th

West of 1/4 S con

Bar 1905

connected the line 4000 ch

Thence went to con

15 16 21 & 22. Two of the

are given as B. T. Standing

to level -

Mr Cook 10 in circ N 88 W 204 62

Robert 15 in circ N 55 E 204 03

the other also for

March near B. T. to east -  
 Thorny in view S 40° E. 394  
 March near to east point -  
 marked as per instruction  
 of John Hatfield & Rand  
 of Bere & Jeff Roberts -  
 present to March 15 -

\$ 7.00

Survey of County  
 Road Mt. at Ruby  
 March 20. H. and  
 Thence went to the  
 beginning point  
 of Poplar Road  
 back to our east  
 once Mr. A. Bullock  
 & G. M. Hunt. as  
 Chairman and  
 Daniel Hull Marke  
 Beginning at a point  
 20.00 West of the  
 1/4 S East Cor. to  
 Sec 26-9-26. of 26 55 -  
 W. Set post 4 feet  
 long 4 in. square  
 marked B. Set 20  
 in in the ground  
 from which  
 N. 60° 24' in view S 46° E 320  
 B, 20 in view of 45° 1' 30" 92

48

Thence

80.00  
78.27  
6.77  
2.45  
3.95

S 9 1/2 W 13.00 ch on old Road  
 " 9 1/2 W 12.17 at 6.00 Creek S 1/2 C M  
 S 77° W 7 41.6 "  
 037° W 5.23 "  
 43 3/4 " 6.84 "  
 124 1/2 " 5.88 "  
 138 1/2 " 4.50 at 30 1/2 leave Depot

Corner center of A Shurt  
 Canal

S 32° W 8.5-8  
 24 " 5.35 - 6.52  
 20 1/2 " 8.00 8.00  
 14 1/2 " 2.84  
 10 1/2 " 3.55 to 1 M from M bank  
 5000 (4 feet low 4 in square  
 20 in in the ground for  
 McLaughlin in said lot 60 M 9 v 1/2  
 " " 6 " 880 E. 69  
 Barn M 220

49

95.0  
 94  
 83.6  
 10.04  
 90.04  
 80.00  
 10.04

Thence

S 20 1/2 W 8.48, at 350 Stand - M  
 " 2 1/2 E 6.18 " 5.00 Creek S 1/2 C M  
 " 16 1/2 " 5.20  
 " 34 1/2 W 7.67  
 " 27 1/2 " 7.91  
 " 25 1/2 " 13.80

2.74 at 2.50 ch 2 B M

S 53° W 2.92  
 " 22 1/4 " 7.50  
 S 1° E 5.50  
 " 22 1/2 W 4.265  
 " 2 1/2 " 5.08  
 " 17 1/2 E 2.50  
 S 19° W 9.50 out  
 " 79° " 1.43 at 2.50 - Clear Creek 25-  
 (23 1/2) W 10.14  
 S 19° W 9.4

5000 Set 2 M post  
 McLaughlin with 53 1/2 E 103  
 B " 24 " " S 71° E 206

50  
 9899 5.000  
 3304 1.188  
 7377 1.111  
 6.000  
 7997  
 6.003 396

S19° W 8.36  
 " 1.43 at 25 1/2 Clove Creek  
 C H

S23 1/2 W 6.83  
 " 19 1/2 W 4.18  
 " 35 1/2 " 10.60  
 " 38.62

S32° W 5.73  
 " 40° " 3.50 at 140 down Shrub  
 enter James land

S41 1/2 E 4.23  
 " 31 1/2 W 6.60  
 " 30° E 2.62  
 " 39 1/2 W 5.75  
 " 49° " 2.64  
 " 30 1/2 " 10.20 79.39  
 " 30° " 11

80.00 Sat 3 M foot 4 feet low  
 4 or 5 square 20 in x 40 in  
 from which  
 Mealy mineral at 75° W 62  
 " " " S 65° E 56

80.00  
 41.03  
 38.97  
 41.25

S3° W 2.96 at 100 Sec 4 Ridge  
 " 19 1/2 " 3.50  
 " 42 1/2 " 3.30

" 62° " 2.70 to a frame 36 in  
 " 82 1/2 " 4.58  
 " 2 1/2 E 4.70  
 " 2° " 3.28

" 58 1/2 W 3.00  
 " 21 1/2 " 5.27 1449  
 " 34.99 at 2.50 have found  
 " 144° " 3.38

Lead enter S W range  
 Derivation of  
 S 62° W 2.16 4100  
 " 10° " 3.897

80.00 Sat 4 M Part  
 from which  
 Mealy mineral at 84 1/2  
 " " " 8 1/2 " 4.88 4.15

21.44  
3.27  
-----  
18.17

5-2  
S 10' m  
35.00 to line between  
S. W. Sanger & Harbors  
Donation on all  
Thence  
S 35' to Stake  
West 23.21 to a point 35' to East  
of the S.E. corner of  
44

S 1° E 21.44  
80.00. E 75' N 11 feet from  
return  
Mark 12 inches S 67° 1/2 W 2.17  
8 " S 26° E 3.47  
m Lane

S 1° E 4.93 indirect cut Road from  
Roseburg to fall creek  
Set first Mark A. R. for  
monument from which  
Mark 14 inches S 48° 1/4 W 5.2  
8 " S 78° E 6.9  
W. A. Smith trust 18.17 m

110  
50  
137  
-----  
287

220  
30  
-----  
190

220  
30  
-----  
190

220  
30  
-----  
190

53  
S 10' m  
35.00 to line between  
S. W. Sanger & Harbors  
Donation on all  
Thence  
S 35' to Stake  
West 23.21 to a point 35' to East  
of the S.E. corner of  
44

2.87 feet East of  
from the N.E. corner  
of Lot No 5 in B 53  
in the town of Rose  
burg. Lying on the  
East Side of Chadwick  
Street at the East  
terminus of Washington  
Street  
Remaining thence as  
follows  
100 feet thence  
Thence  
100 " 100 "  
100 " 100 "  
100 " to place of begin

54  

$$\begin{array}{r} 7018 \\ 7016 \\ \hline 2 \\ 7034 \end{array}$$

45-39 / 68.36 - 2000 (1506)  

$$\begin{array}{r} 45-39 \\ 22970 \\ 22695 \\ \hline 27500 \\ 27234 \\ \hline 266 \end{array}$$

$$\begin{array}{r} 3012 \\ 2259 \\ 1862 \\ \hline 7033 \end{array}$$

$$\begin{array}{r} 68.36 \\ \hline 136.72 \end{array}$$

45-39 / 102,550 - 22,500  

$$\begin{array}{r} 9078 \\ 11770 \\ \hline 26920 \\ 22694 \\ \hline 42230 \\ 40861 \\ \hline 1389 \end{array}$$

Total on acc 319-27 acc  
 Sold off 80.00 "  
 To be divided 239.27 "  
 on 2.14.2 68.36 "  
 Remainder 102,550 "

229 SR 4 m  
 Set Sec 19x20 - Dec 18'8  
 W A Miles' house 44'0"  
 Set on Sec part - from contract  
 Block 30 in sec 6 S 32 N 26 E  
 " 15' " S 85' W 244  
 " No True East

Set part for Sec 17-18-19x20  
 No true mean

$$\begin{array}{r} 6836 \\ 6836 \\ \hline 102550 \\ 8000 \\ \hline 31927 \end{array}$$

$$\begin{array}{r} 39 \\ 23 \\ \hline 62 \end{array}$$

Survey made for  
J. A. Mills, W. E. Mills  
B. F. Mills & Ella Mills  
Mar. 24<sup>th</sup> 1898.  
Beginning at the S. E.  
cor. of Donation of  
W. A. Mills & wife  
Dec 45. J. 27 S. R. 4 M. E  
Near 19<sup>th</sup> &

Thence

N. on East boundary  
45.62 in to set at a Rock cor  
Thence  
West 17.62<sup>1</sup>/<sub>2</sub> Set Cedar post 4 feet  
long 5 in sq 24 in in the  
ground - marked C.S.  
it being 28 links East of  
the cor set by of W. A. Mills  
for the 80.00 acre tract  
sold to Geology Deukman  
and now owned by J. M.  
Parett.

$$\begin{array}{r} \text{Total } 70.87 \\ 59 \\ \hline 28 \end{array}$$

Thence

$$\begin{array}{r} 22.59 \\ 26 \\ \hline 287 \end{array}$$

5-7

Set Cedar post 4 in sq  
4 feet long 24 in in  
the ground marked  
C.S. for N. W. cor  
of the 68.36 acre tract  
B. F. Mills

Thence

West 15.26 Set Cedar post 4  
feet long 4 in sq  
24 in in ground  
marked C.S. for  
N. W. cor 68.36 acre  
tract for  
W. E. Mills and Ella  
Mills

Thence

22.59 to the N. W. cor  
of the Donation of  
it being the N. W.  
cor of 102.58 acre tract  
for J. A. Mills

West  
to the 22.59

Thence from S.E. corner  
Donation cl 43-

N 89° 30' W on S boundary of cl 43-

17.62' Set this post 4 feet

long 4 in S by 24 in square

marked C.S. from which

57 links east of stake set

by of M. D. concert

for S.M. corner of 8000 acre

tract belonging to S.M. Park

Thence

N 89° 30' W 15.06 Set post 4 feet

long 4 in S by 24 in in the

ground marked C.S. from which

Survey 8 in distance N 85° E 1.60

N. Oak 6 in diameter S 84° W 31.

from the S.M. corner of 68.36

acre tract for B. E. Willis

Thence

N 89° 30' W 15.06 Set post 4 feet

long 4 in S by 24 in in ground

marked C.S. from which

from the S.M. corner of 68.36

acre tract for M. E. Willis

and Ella Willis

Thence

N 89° 30' W 22.59 to the S.M. corner

the Donation cl. No. 43-

dist. found to be 22.75

it being the S.M. corner of

102.55 acre tract for

J. O. Willis

Set Rock 8 x 12 x 20

Set post 4 feet long

4 in S by 24 in ground

marked C.S.

to the west 186.30

80.00

106.00

5.31.50

for Sum 10.31

Subtract 1.00

Remaining 1.60

am. logs  
15  
15

Calculation 3.00

\$ 15.31

1.50

16.81

Survey of a County  
Road Mark ch 27 to 1893  
Begin in at a N Oak post  
4 feet long 4 in square set  
24 in in the ground marked  
Ri from which  $S 68^{\circ} E$  71  
Block 30 in dim to  $S 71^{\circ} W$  140  
12  
near the S.E. cor of the  $S 1/4$   
of the N  $1/4$  of Sec 26. 224  
S.R. 6 W. base  $S. 9.50$  ch  
Said post is set in center  
of County Road leading  
from Oakland to

June 16 at  $20^{\circ} E$ ,  
W.A. Williams & W.  
Pulhington Chas. W.  
of W. Brubler Marker  
 $S 39^{\circ} E$  60.8 ch  
"  $78^{\circ} W$  3.30  
"  $94^{\circ} W$  17.50 To Sutherland Bar  
26.88 N 48 Mo

$S 24^{\circ} E$  12.25  
51  
1182 61

26.88 ch  
6.00 base of hill  
15.90  
6.40  
13.00 line at Sutherland  
- + Williams  
11.82 ch 1 N Post from  
80.00 Set 4 feet long  
4 in square 24 in square  
24 each & in  $S 36^{\circ} E$  27  
19.00 2.00 into Williams  
field 95.00 Create  
10 Mo. with 13.50 Barn  
20 feet post  
13.00 3.00 ch  
angle with west line  
from  $S 1/4$  S Post  
12.25  
2.85  
7.30  
6.00  
62.15

$$\begin{array}{r} 89.55 \\ 8.45 \\ \hline 81.10 \\ 2.75 \\ \hline 78.35 \end{array}$$

b2

62.15 ch

925 E 12.00 8.55 Puffington  
 43 1/4 3.30 - 150 leaves Puffington  
 26 1/2 2.55 1000 leaves Puffington  
 extra McRay Lane

56.75 ch

85 1/4 2.75  
 E 3.40  
 90 4.45  
 E 4.20 1.50 low Williams  
 extra McRay Lane

8.55  
63

80.00 Set 2 M Port  
 800 8.00 S 660 9/2 22  
 " " 8.00 S 496 8/2 44

6.00  
2.45

5.00 Set 3 M Port

826 1/2 E 8.50  
 14 1/4 6.25  
 18 3.20

8.55  
 6.00 S 650 9/2 13  
 6.00 S 650 9/2 13

50 Sun Valley oak  
 25 McRay S.

812 1/2 E 3.50  
 12 1/2 9.40  
 86 8.90

8.55 Sub Port

300 leaves Puffington  
 extra Williams

Set Sport Mark R for  
 burning of Road - no leaves  
 Sport Progl  
 Burn Lotick

19 1/2 4.70  
 110 14.25  
 18 11.40

1000 Williams & 1500  
 Williams  
 5675  
 Williams 551 2 1/2 139  
 Williams 592 1/2 180

and The inner Cover of  
Docket Donations of Books  
S 64<sup>o</sup> N 16.73

Germany made for  
Geo Stearns. Mar 25  
1893.

Beginning at the  
N. E. Cor of back Deck  
by A. B. Brown to  
Geo. J. Stearns Sep 14  
1888, and recorded  
in Vol 19, Page 277  
26 day of Sept 1888.  
Thence

N 15<sup>o</sup> E .23 ch  
Thence  
S 69<sup>o</sup> E 1.10 ch  
Thence  
S 12<sup>o</sup> N 1.87 ch  
Thence

N 45<sup>o</sup> W 1.37 ch  
Thence

N 15<sup>o</sup> E 1.07 ch to The place of  
beginning

N 10<sup>o</sup> W 1.07 ch  
N 10<sup>o</sup> W 1.07 ch

Thence commencing  
at the N. W. cor of Field  
from D. W. Stearns to Geo  
Stearns Record Apr 15 1875  
Book 10 Page 553.

Thence - Mar 20<sup>o</sup> E  
S 76<sup>o</sup> 16' E. 1.37 ch  
Thence

N 44<sup>o</sup> 20' W 1.97 ch  
Thence

S 04<sup>o</sup> 4' E 1.03 ch to the place  
of beginning  
N 5.00

Probably  
Road EPP

66

Survey of County  
March 30<sup>th</sup> 1893

from a point 20 chains  
N. to Sec 21. 22. 27 & 28

T. 21 S. R. 4 N. to a point

in Sec 13. T. 21 S. R. 4 N.

met at Prairie March 30

the Mr. Milwaukee & Sardinia

& Mr. Ellensburg Viewers

and after being sworn

back to our assistants

Mr. Lawrence August Henrich

R. H. Mearl at m. m.

Beginning at a point

20 ch North of c. to

Secs 21. 22. 27 & 28

T. 21 S. R. 4 N.

Thence via 19 1/2 E

Set post 4 feet long 4

in square 24 in the

ground marked

R. from set. m.

Thence via Sec 21. 22. 27 & 28

50  
70.67  
9.86  
64.12

67

Thence via Sec 21. 22. 27 & 28  
Thence

614<sup>00</sup> N. 2.85 - pin timber

" 20 " 6.50

" 27 1/2 " 6.00

" 30 " 6.14

" 33 3/4 " 3.82

" 42 " 2.58

" 51 " 6.26

" 72 1/4 " 2.74

" 85 " 2.20

" 85 " 39.07

" 85 " 10.35

" 82 1/2 " 9.17

" 87 1/2 " 2.80

" 87 3/4 " 2.81

" 85 1/2 " 3.42

" 84 " 3.00

" 61 3/4 " 9.36

" 80 " 80.00

" 80 " 80.00

" 80 " 80.00

Set 14 April  
Thence via Sec 21. 22. 27 & 28  
" 30 " " 58.8 E. 12.8

68

Thema

N 47° W 5.33  
 + 66° W 10.71  
 " 78° " 8.73 to cedar 30 in wide  
 " 71° " 10.00  
 " 51° " 14.36  
 S 80° " 13.29 250 Clark's Barn <sup>30 lbs</sup>  
 to Sec. one of 1920.29 <sup>7.30</sup>  
6 5.41

N 80° W 5.50  
 S 87° W 9.00 Spt. 2 M Post  
 N 51° W 9  
 N 69° W 8.00  
 S 64° W

N 16° W 3.91  
 N 69° W 5.00 District School House  
 S 11° W 1.85 ch  
 S 64° W 4.80 to fir post 7 feet  
 long 4 in dia

intersect - count Red  
 Set post Mark R  
 from which  
 Dist. in line S 12° W 29  
 " 8 " N 18° W 38  
 N 14° S post - but see 1920.30  
 221 S R 4 m leaves  
 S 78° W 15.50 ch

57 1/2 S. Bottom Secs 27 & 28  
 J 28 S.R. 5 M - Cor 18° E  
 4000 Set for see part from which  
 lowered 12 in air - S 58° E 33 -  
 of Oak 12 " " " S 1° N 42  
 Set part cor to Sec 27 28 S 87° 34  
 of Oak 14 in air - S 30° N 38  
 of " 14 " " " N 32 1/2° W 82  
 " 18 " " " " N 13° E 44  
 " 15 " " " " S 57° E 156

S 89° 16' N on true line lat 30 28 & 33  
 Nicer 15° 25' E  
 3490 of Oak 12 in air - S 3° N 19  
 " 10 " " " " N 27° E 32  
 7980 No cor to Sec 28 29 32 & 33  
 of Oak 15 in air - S 28° N 740  
 " 26 " " " " N 13° " 414  
 of " 12 " " " " N 36° E 114  
 " 10 " " " " S 32 1/2° E 816

47 1/2 M lat Sec 25 & 29 - Cor 18° E  
 4000 Set 48 feet from which  
 of Oak 18 in air - S 18° N 21  
 " 16 " " " " S 8° E 67  
 " " " " " " Near 15° 15' E  
 8000 Set part cor to Sec 20, 21, 25 & 29  
 lowered 16 in air - S 87° E 97  
 of Oak 15 " " " " S 33° E 114  
 lowered 20 " " " " S 12° N 166  
 of " 20 " " " " N 65 1/2° W 69

N 88° 23' E on true line lat Sec 21 & 25  
 8980 Set 48 feet from which  
 of Oak 12 in air - S 44° N 26  
 " 15 " " " " " N 10° E 76  
 7960 No see cor  
 4070 M lat Sec 20 & 21 - Cor 18° E  
 4000 Set 48 feet from which  
 of Oak 14 in air - S 80° N 34  
 " 14 " " " " " N 7 1/2° E 66  
 8070 Set part cor to Sec 16, 17, 20 & 21  
 of Oak 14 in air - S 12° N 21 1/2  
 " 18 " " " " " S 60° E 104



Swainey Macee Above  
 13<sup>th</sup> 1893 from C. G. G. G.  
 Charles A. Blackburn in  
 Thomas Blackburn ch  
 and J. S. Morris & Co. S.  
 Morris Atman  
 Begun mining at quarter  
 post bet Secs 20 & 21  
 T28 S. R. 13 N.  
 Set post too far origin  
 B.T. Thence

to 7 1/2 m 2000 ch but post marked  
 C S. from which  
 N. Clark 30 inches to 10 1/2 E 104  
 B in 24 " " S 46° N 95  
 Thence from the same  
 quarter post above mentioned  
 57 1/2 E above hill 8000 ft beyond to same  
 2000 across deep brush hill  
 4030 under 3rd corner to  
 S to 20.21. 28979  
 3000 ft at B.T. Set 40

no per B.T.  
 Thence  
 1893 on thin cut Secs  
 21 & 28  
 4000 inches set 1/4 S. Set  
 9000 ft - each post as per  
 Cert B.T. Stansbury  
 1893 990 County Road  
 12.50 each. S. R. C. S.  
 2000 set post from  
 which

N. Clark in view S. 46° 22' E  
 S 7 1/2 E Thence.  
 19.00 County Road  
 2000 Set post in 13  
 Williams Marcel How  
 Lewis S 69° 1/2 W 50 M  
 Black 12 in view to N 60° 30' E  
 Thence  
 1893 110 County Road  
 2000 ch Set post  
 from which

76

B back 26 in aw S 52° 2' 68

Thence

S 7 1/2° E. 2000 ch to 1/4 S post

S 27° 42' E. 2000 ch to 1/4 S post  
from Original B.T.

Thence

S 7 1/2° E. 40.00 ch to corner Sec 28. 28° 33' 34

one of the Original B.T. & Stone

then the other tree has been

cut down marks changed

established 3 new B.T. & wit

Mark between S. N. 61° 0' N. 60 ch

" " 20 " " " " 24° E. 61 "

" " 30 " " " " 51° 2' E. 155 "

B " 16° 0' B.T. S 30° 7' 58 "

S 89° 16' N on tree line bet Sec 28 & 32.

3790 to 1/4 S cor

7980 to corner to Sec 28. 29° 32' 53

Thence

77

S 89° 16' N

80.24

to cor to Sec 29. 30. 31 & 32

Set new post on line

Original B.T. all shown

Thence

S 7 1/2° N. bet Sec 29 & 30

4000 Set Post for 1/4 S cor

The original B.T. on

Post and feel down

Mark new post and

new B.T. to wit

Maple in old Post - 11

Laurel 10 in diam S 75° 5' 44

Thence

S 89° 16' N 20.00 on direct compass

line bet Post from

Mark 12 in diam S 71° 5' 9 ch

Thence from quarter

Post bet Sec 29 & 30

S 69° 16' E. 2000 ch bet Post from

B back 26 in aw S 37° 1' N 19

Thence

N 7 1/2 W 40.00 Set post - from which  
Bench 26 in main S 77 1/2 W 65

Thence

S 89 22 W 200 ch to Cen to Sec  
19.20, 29 x 30 the  
Engineered B.T. Blenchy  
Set post as per in & tree

Cen to Secs 29 30 31 x 32

S 27 S R. 6 W

G Oak 15 in main S 18 1/2 W 155 ft

" 12 " " S 62 1/2 W 95

" 12 " " S 61 1/2 W 91

" 14 " " S 32 1/2 W 108

North Set Secs 29 x 30

Dec 19 26 - E

G Oak 24 in

Top of hill or ridge

Set for Sec post - from which

G Oak 20 in main S 55 1/2 W 148

G Oak 28 in main S 1 1/2 E 281

Dec 18 05 - E

G Oak 18 in side

49.45

Set post on to Sec 19.20.29 x 30

50.00

G Oak 14 in main S 14 1/2 W 280 ft

" 48 " " S 53 1/2 W 322

" 26 " " N 77 1/2 E 415 ft

" 20 " " N 21 3/4 W 428

S 89 1/2 E on tree line but Sec 19 x 30

Dec 18 70 - E

38.33

Set for Sec cen from which

G Oak 12 in main S 57 1/2 W 58 ft

G " 14 " " N 65 1/2 E 80

Dec 18 31 - E

78.33

to cen to Sec 19.30.24 x 25 from

G Oak 9 in main S 16 1/2 E 89 ft

" 24 " " S 40 1/2 W 120

" 28 " " N 71 1/2 E 100

" 22 " " N 46 1/2 W 176

on west bay of Sec 30

Dec 18

819  
3%  
167

17 00  
16 65  
35

40.00 Set for sec. post from above  
M. Beck 15 in and S 23 1/2 W 22 1/2  
M. 22 N 22 1/2 E 24 1/2

Survey made for  
J of the Coy. April 20  
1893.

Beginning at the ground  
post set Sec 25 1/2 30  
J. 27 S. R. 6 M.

Set post 4 feet long  
4 in square 24 in in ground  
March 1/4 S. C.S.

Thence  
Thy bearing BT Standard  
Thence

S 89° 35' E. 16.65 - 1/3 ch set post marked  
C.S. from which + 60.00 from  
B. Beck 16 in and S 2 1/2 W 37 1/2 N

Continues on the same line  
819 Set post 4 feet from which  
M. Beck 8 in and S 57 1/2 W 11.00 M.

Continued on same line

5.00  
5.56  
13.56

18.33  
20.00  
38.33  
24.84  
13.49

769 Set post from which  
M. Beck 8 in and S 18 1/2 W 62 ch  
Thence S 78 1/2 E. 15.88 to post

Be 5 feet from which  
B. Beck 12 in and S 16 1/2 W 106 ch  
Thence from post no. 4.  
Bear 19° 40' E

Nov 20. no 6 marked as  
ch. Set post from which  
B. Beck 12 in and S 86 1/2 E. 50 ch  
Marked C.S. No 6 from which  
Thence to post  
No 3

S 89° 35' E. 50 ch post no. 2  
John Mc Coy chain  
2.50 ch to Rock corner  
12 + 6 + 4 + 1 = 207  
Thence

2000 ch Set no. 8. from  
which  
M. Beck 10 in and S. 15 1/2 E.  
2000 ch Set post from  
C.S. No 9 - to post 10 + 850

M. Beck Coy & M. Williams

2.000  
5-5-6  
14-77

8.00

B. Oak 12 on divide S 39° E 11 1/2  
for J. McCoy  
Thence

S 89° 33' E 6.55 to 1/4 S. cor. bet. Secs 19 & 20  
Set No. 10 for 1/4 S. Set 3 corners  
Rock 18 x 14 x 4 for 1/4 S. post -  
from which original B.T.  
G. Oak 12 inches S. S. 78 1/2 N. 56 1/2  
" 14 " 16 1/2 S. 80  
Thence

North 2000 ch. set post marked S. S. Bull  
and Rock alongside 12 x 4 x 4  
B. Oak 6 inches S. South 11 1/2  
Thence

S 89° 33' E. 2000 ch. set Rock 12 x 8 x 4  
B. Oak 14 inches S. S. 74 1/2 N. 47 1/2 N.  
Thence 1/4 S. cor. on  
line bet. S. 19 x 30

S 89° 33' E. 14.44 ch. set Rock 12 x  
10 x 10 - from which  
B. Oak 6 inches S. 78° N. 20.2  
being the N.E. cor. of M. A. McCloy  
40.00 were bet.

5833

4000  
14.44  
25.56

25.56

51.8

20.00

53

and the N.W. cor. of J. McCoy  
Cora 57-12 on East - continuous  
on same course

S 89° 33' E 5.56 at set post - No. 14 for S.E.  
cor. of R. R. 4000 acre tract -  
continuous on same course

S 89° 33' E 2000 to corner to Sec 19. 20. 21. 20  
Set post as per Argument  
B.T.

Continued on same course  
2500 ch. set post - from  
which

B. Oak 6 inches S. N. 70° E. 108 N.  
for S. W. corner of Survey the Coy.  
tried on S.E. cor. of J. McCloy  
Thence

North 2000 set post No. 16 corner  
of Oak 8 inches S. N. 69° E. 134  
Thence

N 89° 30' M 2.50 set post 17 from  
B. Oak 6 inches S. North 80 ch

Thence from Sec 19. 20. 21

84

South 20.00 ch Set post no 18. from  
North 10 inches S 68° W 32 ft.  
- Thence

S 89° 38' W 25.56 ch Set post 19. C.S.

Thence Beginning at  
at Rock Set in center  
of County Road

Var 1902 S E

S 89° 33' W 8.19 Set Rock in  
County 1241048

Continued in same  
Course

S 89° 39' W 16.65 1/3 ch Set Rock  
in County Road  
1241048  
# 24.

83-

Survey made for  
Jaco D. Sturwiler April  
22<sup>d</sup> 1893.

Beginning at a point  
20.00 North of 148 corner  
line bet Sec 19 & 20. T 21

S. R. 6 W - var 18° 10' E

Rd Wechner & Radwky  
Daetwyler, Chamma  
from which

Runnel 10 inches S 41° 12' N 13  
Thence 20 1/2 E

1889 3/4 M 2000 ch Summit of Ridge  
Set post Marsh C.S.

Runnel 30 in var S 41 1/4 E 161  
Thence

2000 ch Set post marked  
C.S. from which  
Runnel 18 in var S 55 7/8 E 62  
Thence

S 89° 35' E 2000 ch Marked corner  
for Corn

Runnel 20 in var S 18 1/4 E 11

Thence

North 1000 Set post Anastro C.S.  
from which

B. 36 in. cu S 38 1/2 W 29 1/2  
#6. 7/10/22

Thence by easting to 23. Machine

the S.W. cor of the N.E. 1/4 of

the S.E. 1/4 of Sec 19,  
T27S, R6E, S.W. 1/4

made for Rudolf

Partway April 22  
1893, Survey

Thence - Mar 20

North 3000 Set post Mark

C.S. from which

B. 30 in. cu S 59 1/2 W 11 1/2  
B. 24 " " S 45 1/2 W 22  
#6.

Thence from C.S.

to 2000 17. 18. 19 & 20

Set ~~1000~~ Set your post again

B. 1000 that are full down

March 30m

Set Antio cor unit NW 1/4 B7

B. 24 in. cu S 46 1/2 W 26  
" 30 " " S 58 1/2 W 37

Thence

1200 Set from same

B. 10 in. cu S 13 1/2 W 19  
" 12 " " S 58 1/2 W 27

Thence Mar 20

1893: M 2000 to same set before  
#6. 7/10/22

Survey made for of M

Stocked April 24, 1893.

Beginning at Great

put set Secs 18 & 19 22, 32  
6 m from which

Thence 13 in. cu S 58 1/2 W 35  
" 15 " " S 6 1/2 W 85

Thence Mar 19 1/2

2000 Set from post which

Pinole main S 22 1/2 W 17 1/2

88

South

Thence

2000 ch. set part from what

B. Oak 10 in. S 17° N 30'

Thence Var 26° 20'

S 85° 37' E 20.00 ch. set two in line

See line. Set part from

B. Oak 24 in. S 17° N 100'

\$6.00

Sarasoy Maag for  
John Prescherm April  
24th 1893

Beginning at 1/8 Corner

between Secs 18 & 19

T 27 S R. 6 M

Thence

4000 ch. set part from

B. Oak 12 in. S 45° E 43 1/2'

\$6.00

S 89° 45' N. online bet Secs 8 & 17 - 79.45 ch

59

Sarasoy Maag for  
William Kaiser April

25 - 1893

Beginning at cor. to Secs

7, 8, 17 & 18, T 27 S R. 6 M

No. west.

1/2 Oak 15 in. S 25° N 38 1/2'

" " " " " " " " " " " "

Round 18 in. S 35° E 33'

" Oak 10 in. S 62° E 126'

Var 19 E

Thence

bet Secs 9 & 8.

" Oak 16 in.

Set part from what

B. Oak 6 in. S 85° N 83'

Oak 12 " "

Thence from B. Oak

S 89° 45' N. 2000 ch. set part from

B. Oak 20 in. S 65° E 100'

Thence



From M. J. Wash to  
 Daniel Miller and  
 from Walter to  
 Thomas Croaman from  
 Croaman to P. G. ...

6	5	4	3	2	1
7	8	9	10	11	12
30	29	28	27	26	25

Salutics at ...

17 04 J 27  
 17 20 " " 16

Due

from All Street  
 to James B. ...  
 Consideration \$125

.35-

A. Hansen  
 Oakland  
 Lake con

17.76) 22.00 (2497  
 3552  
 8480  
 2104  
 13760  
 12432  
 1328

8.76-  
 324  
 3

187  
137  
50

P. Lyanthor

5.000 / 60.00 (32)

5.000  
2.000  
10.000.00

66) 2600094  
198  
620  
597 1279 569  
26  
2027

1600000

2414  
562  
2976  
2414  
562  
3476

414  
562  
976  
60  
1036

1893  
1830  
63

500  
1500  
350

1500  
6000  
7