

Field Book # 101

Ripley

Otto W. Matheson

Joseph C. Clark
Baraboo

I the undersigned agree
to take on eleven 2 of Brown
Patent Rotary Harrow for
which I agree to pay to
Mr. F. Briggs \$ 40.00 on delivery
Grant Lewis

I the undersigned agree
to take on eleven 1 of Brown
Patent Rotary Harrow for which
I agree to pay to Mr. F. Briggs
\$ 20.00 on delivery
Geo. Bayley

I The undersigned hereby
agrees to take on delivery 1 of
Brown Patent Rotary Harrows
for which I agree to pay to
W. H. Briggs \$20.00 on delivery
J. D. Lough

I The undersigned hereby
agrees to take on delivery 1 of
Brown Patent Rotary Harrows
for which I agree to pay
to W. H. Briggs \$20.00 on delivery
J. D. Lough

West body 730 S 12. 1 M. Nov 19th E

South by 230 S 12 1 M

Best on S body sec 31

4 rods Ash Marbled Cedar 6 in dia from

tree 12 in dia base S 35° W 9 M

" " " " S 75° E 15 M

8000 Set post on to 5.6. 31 X 32.

tree 10 in dia S 35° W 14 M

" " " " S 28° E 22 "

" " " " S 20° W 23 "

" " " " S 02° E 33 "

East on S body of sec 32

4000 Set 1/4 sec post from which

Pine 60 in dia N 80° W 20 M

" " " " S 87° E 176 "

8 on West body S 31. - Nov 19th 20th E.

150 Cedar thick timber N. W.

4000 Set 1/4 S post - from which

tree 12 in dia base S 27° W 9 M

" " " " S 36° E 23 "

4067 tree 36 in dia with base

Set post on to sec 30. 31. 25 X 36.

tree 6 in dia S 25° W 25 M

tree 36 " " S 46° E 8 "

" " " " S 23° W 17 "

" " " " S 5° E 51 "

on N body sec 35 Nov 19th 30th E.

Stream 2 db twice N. E.

" " " " " " N. W.

Same " " " " N. E.

Marbled tree 6 in dia for cur

tree 12 in dia S 40° W 5 M

trough 12 in dia N 12° E 16 "

Leave timber enter opening N. E.

Leave opening enter heavy timber

Set post cor to sec 19. 30. 24 X 25.

tree 50 in dia S 05° W 25 M

" " " " S 53° E 17 "

" " " " N 40° W 19 "

" " " " N 90° E 48 "

on N body S 19. - Nov 18th 30th E

Set 1/4 sec post - from which

4000

Tim 36 in air N 10° E. 8 1/2

" 15 " " " N 15° W 34 "

Set post car to see 18. 19. 13. 7. 24

Tim 8 in air S 14° E. 12 1/2

" 12 " " " N 50° E. 21 "

" 9 " " " " N 75° W 13 "

Laurel 10 " " " " S 68° W 22 "

on West side S 18° W 18 30° E

Set 1/4 S post

Tim 48 in air S 10° W 8 1/2

" 30 " " " " S 50° E 12 "

Enter River bottom N. E.

Sumpogua River

Leave

Junction of two forks of River

East about 700 ft

Trail E of W

Leave bottom N. E.

Stream 2 banks - see C. E.

Set post car to see 7. 18. 12. 7. 13

Tim 18 in air S 48° W 35 1/2

" 6 " " " " S 20° W 30

Ambleck 6 in air S 20° E. 14 1/2

Sugar Pine 6 in air N 75° E. 10 "

Set - see 31 x 32 - see 15° 30' E.

Stream 3 1/2 in air C. S. E.

Same " " " " N. W.

" " " " " " N. E.

Set 1/4 S post

Tim 10 in air S 45° W 3 1/2

Tim 6 " " " " N 80° W 2 1/2 "

Dry bed of stream 10 1/2 in air C

Stream 2 1/2 in air C

" 2 " " " " E

" 1 " " " " " E.

Set post car to S 29. 30. 31 43 2

Laurel 12 in air S 30° E. 9 1/2

Dog wood 6 in air S 10° W 6 "

Tim 15 " " " " N 46° W 30 "

" 12 " " " " N 20° E. 20 "

N 29° 50' W on true line but see 30. 2. 31

Set 1/4 S post

Tim 40 in air N 80° W 15 1/2

" 6 " " " " S 50° W 26

at bet Sec 29 & 30 near 15° E.
 775. Stream S. the road C. E.
 4000 set 1/4 S. post - from which
 - Tr 6 in dew at 10° E. 11 1/2
 " 6 " " S 50° W. 10 "
 8000 A Tr 10 in dew to cor to S 19.20 29400
 Tr 9 in dew at 15° W. 31 1/2
 " 12 " " S 89° W. 12 "
 " 6 " " S 47° E. 35 "
 Laurel 12 " at 10° E. 23 "
 - - - - -
 East on tree line bet S. 19 & 30
 140 Swamp
 220 Lane
 4008 set 1/4 S. post
 Tr 10 in dew S 24° E. 5 1/2
 Maple 10 in dew at 40° E. 40 "
 6800 Stream 6 links wide Co. S. E.
 8008 S Sec cen
 - - - - -
 at bet Sec 19 & 20 - near 23° 10' E.
 4000 set 1/4 S. post - from which
 Laurel 12 in dew S 05° E. 27 1/2

Tr 8 in dew at 20° W. 16 1/2
 Dry bed of stream C. S. E.
 8000 set post cor to S. 17. 18. 19 & 20
 Tr 12 in dew S 05° W. 16 1/2
 " 12 " " S 07° E. 17 "
 " 6 " " at 20° W. 9 "
 " 10 " " at 70° E. 14 "
 - - - - -
 889 48' E. on tree line bet sec 19 & 18.
 4020 set 1/4 sec post - from which
 Alder 6 in dew S 40° W. 6 1/2
 Tr 12 " " at 60° E. 12 "
 63, 45 Small. pond
 73 00 Summit of Ridge
 8020 S Sec cen
 - - - - -
 bet Sec 17 & 18. - near 15 1/2° E.
 enter S. Thompson R
 2500 Center. Oak. open
 3607 Tr 60 in dew
 4000 set 1/4 Sec post
 Oak 12 in dew at 70° W. 47 1/2
 Tr 12 " " S 85° E. 19 "

61.50	Enter timber down of ridge	at	Set Sec 21 & 22 - Mar 19° E.
80.00	Set post car to Sec 7.8. 17 & 18.	30.30	South Ampyue R
	Thin 6 in air S 02° E 22' W	31.80	Same Same
	" 5 " " S 83° W 20 "	36.00	Enter Same
	Same 6 " " N 20° W 35 "	40.00	1/4 Sec in R
	" 6 " " 40° E. 25 "	43.25	Mar head Oak 5 in air for post car
	" - " - " - " - "		Maple 12 in air S 80° W 15' E
59.34 E.	on tree low but see 7 & 18		Alder 12 " " " N 55° E. 43 "
7.50	Street 25 - the woods	45.90	Same Stream
11.00	Sleep Rocky sleep.	46.50	Same "
39.90	Set 1/4 S post from within	51.00	Enter Open
	Thin 12 in air S 80° W 25' W	50.00	Set post car to Sec 15.16 21 & 22
	Post 10 " " N 45° E. 35 " "		On Oak 10 in air S 47° W 38' E
40.75	N bank of River		" 9 " " " N 32° E 32 "
79.90	to Sec car		" 18 " " " N 50° W 100 "
			Post 36 " " " S 60° E. 56 "
			Car to Sec 7.10. 15 & 16.
	Car to Sec 22. 21. 27 & 28		Oak 18 in air S 25° W 5.2 the
	Thin 36 in air N 70° W 15' W		" 18 " " " N 60 " 70 "
	" 9 " " " S 10° E. 32 "		" 20 " " " N 53° E. 97 "
	Chickpeas 6 " S 74° W 46 "		" 10 " " " S 82° E. 83 "
	Thin 20 " " N 80° E. 57 "		

61.50	Enter timber down of ridge	at	Set Sec 21 & 22 - Mar 19° E.
80.00	Set post car to Sec 7.8. 17 & 18.	30.30	South Ampyue R
	Thin 6 in air S 02° E 22' W	31.80	Same Same
	" 5 " " S 83° W 20 "	36.00	Enter Same
	Same 6 " " N 20° W 35 "	40.00	1/4 Sec in R
	" 6 " " 40° E. 25 "	43.25	Mar head Oak 5 in air for post car
	" - " - " - " - "		Maple 12 in air S 80° W 15' E
59.34 E.	on tree low but see 7 & 18		Alder 12 " " " N 55° E. 43 "
7.50	Street 25 - the woods	45.90	Same Stream
11.00	Sleep Rocky sleep.	46.50	Same "
39.90	Set 1/4 S post from within	51.00	Enter Open
	Thin 12 in air S 80° W 25' W	50.00	Set post car to Sec 15.16 21 & 22
	Post 10 " " N 45° E. 35 " "		On Oak 10 in air S 47° W 38' E
40.75	N bank of River		" 9 " " " N 32° E 32 "
79.90	to Sec car		" 18 " " " N 50° W 100 "
			Post 36 " " " S 60° E. 56 "
			Car to Sec 7.10. 15 & 16.
	Car to Sec 22. 21. 27 & 28		Oak 18 in air S 25° W 5.2 the
	Thin 36 in air N 70° W 15' W		" 18 " " " N 60 " 70 "
	" 9 " " " S 10° E. 32 "		" 20 " " " N 53° E. 97 "
	Chickpeas 6 " S 74° W 46 "		" 10 " " " S 82° E. 83 "
	Thin 20 " " N 80° E. 57 "		

9' 28.50	bet s. 9 & 10	63.60	Boomer Creek 30' to wire & N
32.00	Summit of Ridge	79.96	to sec cor
40.00	Center Fair Transfer	—	—
65.00	Set 1/4 S post	—	bet Sec 22 & 23.
	Fair 18 in air N 40° E. 22' 1/2	5.80	Stream 5' to wire & N. 7 1/2
	" 18 " " N 30° W 42 "	27.75	Same Stream & N. 7 1/2
	Point Fair 6 in air	40.00	Fair fur 1/4 S post - from which
	Fair 18 in air N 15° E. 22' 1/2		Fair 12 in air S 35° W 30' 1/2
	" 18 " " N 30° W 15'	50.40	" 15' " " S 30° E. 26 "
	" " " " " "	52.00	Mouth of same Stream
	Car to Sec 22, 23, 26 & 27	71.00	Sumpogua R
	Fair 12 in air S 43° W 72' 1/2	80.00	Spurings
	" 12 " " S 38° E 23 "		Set post car to Sec 14, 15, 22 & 23
	" 48 " " N 35° W 13 "		Cap 12 in air N 75° W 1.35-
	" 9 " " N 15° E. 44 "		" 8 " " " S 63° W 8.5-
	" " " " " "		" 18 " " " N 10° E. 12.1
1882.40	on true line bet Sec 22 & 27		" 15' " " " S 25° W 16.8-
34.65	Stream cor N		—
36.00	Center Cap Springs		—
39.98	Set 1/4 S post - from which		—
	Cap 10 in air S 18° W 62' 1/2		—
	" 12 in air N 68° E 33 "		—
55.00	Center Transfer		—

230 S 12 2 m
Near 18 1/2 E.

Car to sec 23, 24, 25 & 26

Log Pine 40 in diam. S 33° W 50 %

Leure 10 " " S 20° W 48 "

Tim 15 " " S 74° E 46 "

" 15 " " S 04° E 75 "

bet sec 23 & 24
25 & 26 - near 19 3/4 E.

Dry bed of stream
S. Unmpyua R.

Car to openings

Set 1/4 S post

Car 15 in diam S 04° E 68 %

" 15 " " S 37° W 118 "

1/4 sec car on line bet sec 26 & 27

Car 12 in diam S 80° W 23 %

S Pine 12 in diam S 1° E 40 "

S Unmpyua R

Set post car to sec 22, 23, 26 & 27

Leure 10 in diam S 15° W 25 %

" 10 " " S 50° E 53 "

S Pine 60 " " S 73° W 133 "

Tim 6 " " S 28° E 44 "

17.95
33.28

30.80

34.50

40.00

76.00

80.00

S 89° 45' W in. tree line bet S 23 & 26

16.40 Dry bed of stream 10 ft wide at
Car to openings

17.00 Timber

30.00

35.00 Stream 10 ft wide at R.

39.98 Set 1/4 S post

Tim 18 in diam S 2° E, 25. R

" 24 " " S 3° E, 30 "

73.00 S Unmpyua R

79.98 No sec car

bet sec 22 & 23. near 18 1/2 E.

14.15 S Unmpyua R

15.00 Leure same

22.75 Embur "

23.60 Leure "

27.00 Car to openings

40.00 Set 1/4 S post

Car 24 in diam S 65° E, 166

" 10 " " S 77° W 360

50.00 Trail

65.00 Car to timber

67.00 Edge of Lake

77.25 Over Lake
 80.00 Marthee on Oak 6 in diam
 fur Car to Sec 14. 15. 22 & 23
 Tr 10 in diam S 45° W 7 ft
 " 30 " " N 74° E 25 "
 " 10 " " S 10° E 27
 Laurel 10 " " N 45° W 45 "
 ———
 bet Sec 33 & 34 — Oak 20° E.
 Second Rocks Precipita
 Set 1/4 Sec post
 Alder 18 in diam N 76° W 80 ft
 Tr 12 " " S 70° E 127 "
 Elk Creek 25 in diam N 70° W
 Trail
 40.25 Set post cur to Sec 27. 28. 33 & 34
 60.85 Tr 12 in diam S 20° E 28 ft
 Oak 6 in " N 10° E 25 "
 Laurel 10 " " N 34° W 21 "
 Dogwood 6 " S 57° W 23 "
 ———
 bet Sec 27 & 28 Oak 20°
 S Wampqua R.
 12.40

Trail N.E. Springs
 Set 1/4 S post
 Oak 12 in diam S 12° W 5.6 ft
 " 12 " " S 30° E 34
 ———
 bet Sec 32 & 33, Set 148
 Set 1/4 S post
 Laurel 12 in diam N 60° E. 10 ft
 Tr 30 " " S 10° W 20 "
 S Wampqua R. 110 ft diam
 Trail
 beam bottom
 28. 29. 32 & 33
 Set Car to Sec 28 in
 Tr 12 in diam S 50° W 7 ft
 " 10 " " S 15° E. 5 "
 " 12 " " N 50° E. 118
 Oak 12 " " N 15° W 28
 ———
 on true line bet S. 28 & 33
 S Wampqua R. 100 diam and
 Trail enters Oak opening
 Set 1/4 S post
 Tr 24 in diam S 88° W 5.2
 " 48 " " N 36° E 4.5

Set S 7 1/2 8 - Mar 19°
 Set 1/4 S post -
 Hemlock 15 in dia S 06° E 8
 " 10 " " S 45° W 21
 57 05 - N Fork of River
 62.33 - Leave the same
 8000 Set post at Car to Sec 5. 798
 Oak 18 in dia S 80° W 42 1/2
 Fir 6 " " S 45° E 75 -
 Oak 3 " " N 56° E 14
 Pine 50 " " N 54° W 110
 Car to Sec 21 22. 27 & 28
 229 S 12.5 m Mar 19° E
 B. Oak 9 in dia S 45° W 156 lbs
 " 12 " " N 77° W 180 "
 " 14 " " S 89° E 15.10
 " 24 " " N 4° E 13.00
 Car on bridge line bet Sec 22 & 27
 40.24 Set Beaver post Sec 27
 Oak 12 in dia bet Sec 20 & 44 lbs
 " 14 " " N 15° W 16

38.00
 25 1/2
 63 5/6 (16)
 7
 23

Survey made for a
 proposed County Road
 Beginning at a point -
 33.00 East of Car to Sec
 21. 22. 27 & 28. J. 23. S. R. 5. W.
 Set post 4 in square
 3 1/2 feet long 2 1/2 in
 in the ground marked
 R. from which
 N Oak 12 in dia S 46° E 83.
 John Hull & Jack
 Hudson & J. R. Dickson
 Exman May 24 1892
 Thine 12. Mar 1900
 N 33° 35' E. 27.15. At point 20 m
 N Oak 6 in
 N 30 1/4 " 7.33
 S 23 1/2 " 11.50 in
 75.9 Road leading out
 N Myrtle Creek
 Set post harmonus
 from which

5.0
1.7
5.3

S 59° 40' N 5.83

Thence

N 30° W 3.52

Thence

S 69° 40' E 6.09 to place of begin
cont. 2.09

6.09
5.83

2.6
11.92
2.980

17.88
2.097 9.2

5.27
3.80

15.82
4.19

15.73
2.007

Thence beginning at
the S.W. cor of John Calkins
2 were left,

Thence

S 56° E 3.83 to S.W. cor (S. 24 on

Thence from top

con of N Butte 1/4 acre
back

Thence

S 34° E 2.40 to S.W. corner of Butte

S 34° E 2.00 to S.W. cor of S. 24

S 34° E 50 for S. 24

S 34° E 2.00 mes Center of S. 24

1.25
375

Survey made for the
Month of N. Erickson
Aug 9th 1892

Beginning at the S.E. corner
of the S.W. 1/4 of N.E. 1/4 of
Sec 23, T30S, R42W

Bar 1908

North 37.5° - No. 20' point on
left bank of River
The line run is 50 ft
on left bank from the
inner edge of R.

N 27.50° W	4.12	ft	outside line	3.60
" 34.40° W	9.59	"	outside "	19.49
" 31.00° "	5.07	"	"	5.00
" 25.15° "	4.77	"	"	4.50
" 46.00° "	3.50	"	"	3.50
" 45° "	5.60	"	"	5.00
" 45° "	4.50	"	"	4.50
" 63° "	17.50	"	"	15.45
" 87° "	5.60	"	"	11.40
				3.60
				65.79

38.25
19.80
18.37
15.00
3.72
19.88

S 40° W 65.43
12.34 - 18.00

" 68 1/2° " 3.50
" 51 1/2° " 10.20
" 47.1° " 4.50

" 66 1/2° " 4.18 from which
East 11.92 to S corner of the NW

1/4 of the NW 1/4 Sec 23
Thence North to a point
on Right bank of R
to 7.96 to point on Right
bank of River

N 55 1/2° W 18.00 Set post for N.W. cor
of the S.E. 1/4 of the
N.E. 1/4 Sec 22

Set post 1 foot South of
point of rock 3 feet high
South 13.63 to point on Right bank
of River

N 77 1/2° E	7.65
" 88 1/2° "	11.39
" 79° "	51.3
	to prism post
	then 106.92
	to

23

Lat 45° 47' Long 123° 52"

Ellen Seaburn
Bliss Irene, North
Cassida Wood

East Left Sec 9416
S 21 S 22 11 m

South River Set Meander
Post for corner

A Spindle 5 in diam S 86° 20' W 48
" " " " S 53° E 30

Set Meander post on Left Bank
A Crutch 4 in diam S 85° E 4

An Alder 10 " S 35° W 82
Set 1/2 8 cor from which
An Alder 6 in diam S 72° E 262

A Willow 5 in diam, S 4° E 292
Set post for cor to 7. 10. 15 416

A Cedar 36 in diam S 60° W 75
An Alder 6 " S 58° E 37

A Cherry 5 " S 30° E 34
" " " " S 75° W 60

24

Went to left Sec 9410

Post 13° E

South River Set Meander
Post on left bank

A Hay 6 4 in diam S 85° W 6 1/2
" " " " S 75° E 25 1/4

Set Meander post on Right bank

A Willow 3 in diam S 75° E 7 1/2
" " " " S 80° W 10 1/4

East 40 ro ch Set from
R Bri 30 in diam S 58° W 62 1/2

1 0, 2, 7 -
 1 0, 2, 5 -
 2 2, 5 - 0

Being made for Marion
 Ryan Sep 14th 1892

Beginning at 14³ feet on
 line between Sec. 31 & 32

7 21 S. R. 6 m

There east on cor 19 1/2 S

4000 ft set post from which

R 21 30 in on cor S 32^o W, 62^o E

Thence from cor to S. 6. 31^o E

32 on township between 20 & 21

S. R. 6 m. Thence to cor 18 1/2 S

East 10 25 - 0^o to corner to Sec 34 & 6

7 21 S. R. 6 m

22 5 - 0 Summit of Ridge 515

40. rock could not find original cor

September 12th 1892

Started on trip as inspect-
 of the Survey of Steel.

Collins & Hull took Mr

D. Briggs as assistant with

me took 2 horses and

bugy reached Redding.

4 P. M. Stook was night.

Expense per night - \$2.75 -

left Redding in the evening

of the 13 reached Oakland

11.30 Ce. few horses and

got dinner \$1.00

arrived at a farm house

near Yamethla. Stood over

night expense \$2.50.

Left farm house in the

morning of the 14th and passed

over a very rough road

over the mountain between

Drain and Smith River

reached Marion Ryan at

Lat 43° 45'

Jan 23

Smith Row Stake over
 right expense \$2.75 -
 this point is as far as I
 could go with buggy up
 up saddle rig and follow
 a trail down South river
 7 or 8 miles to R. Craig
 made arrangement for my
 assistance to visit
 Mr. D. Briggs & Robert Craig
 Chairman & Assessor
 after swearing them
 to performance of their
 respective office from
 date to expiration see
 to see 27.28.38734
 220 S R 7 m and find
 it as follows to and
 a Hamlock spot 3 1/2 in
 square 3 1/2 feet length
 14 in in the ground
 March 20 S S 27 N E
 R 7 m S 28 N 7 m

28

S 33 S m
 S 34 S E. No notches on
 either of edges - Somewhat
 R 3 in 40 in dia 6 1/4 x 18. 12 to
 March 220 S R 7 m S 27 N BT
 Chatham 4 in dia 1 1/4 x 19 m 22
 March 220 S R 7 m S 27 N BT
 Birch 6 3 in dia S 18 N 25
 March 220 S R 7 m S 33 N BT
 Chatham 4 in dia S 37 N 25
 March 220 S R 7 m S 34 BT
 on line between 27 & 34
 Mar 208
 18.50 ch Craig Chatham
 32.50 Spring branch 185
 34.00 of R. Craig same to
 40.60 interest - part of 1/78
 1.44 Sept 15. 1/2 in dia
 Cedar post 4 in square 3 1/2 feet
 length 18 in in ground Mar 1/4 N
 firm washed Post Cedar
 40 in dia S. S 26 N 50 m
 March 1/4 S BT and
 Cedar 36 in dia S 22 N 50 m
 same Chatham

East

29

4060
1229
5289

Marked 1/4 S B.T.

5289 ch Smith River 80th

near C S 80th

Under steep point (Mow North Slope

6300 summit of Rock Ridge C St

6700 ch Smith River 50th

near C St

interest come to see

26. 27. 34 & 35 - which is Hemlock forest 4 in

39 are 4 feet long but found in the ground

Marked J 20 S. S 26 on

N E. S 27 N. M. S 34 S 20

and R. 7 M. S 35 on S 8th foot

with 1 notch on S 8th, 100th from which

Dog wood 4 in old 311th 33

Marked J 20 S R 7 M S 26 B.T

Rich 4th in view 6 S 46th 80

5119 40
5200
2919

Marked J 20 S R 7 M S 27

B.T.

Rich 30 in view S 48th 60

Marked J 20 S R 7 M S 35 - 13th

Rich 36 in view S 29th 40

Marked J 20 S R 7 M S 34 B.T

Land 5-200 ch level 1 Row

2919 ch. Marked S^o near

timber

Thin Hemlock cedar

Under growth 3 in pine

Maple. Birch will 10 ft long
being good

Fence north between

Secs 26 & 27

near 20th E

Decid. 10 ft high - grade of hill

Foot of hill with trees bottom

800 Small river crosses to left bank
and flows down main
line in Rio.
1200 Leave River and take Right
branch

4020 under set 1/4 S. part in place
is very maple part
3 in elev 4 feet fir mts
Set in grass. Maple had
1/4 S on west side
from which
Maple 26 in elev 6 S 68° W 22
Maple 1/4 S. BT
Maple 16 in elev 6 N 47° E 48
Maple had 1/4 S. BT

4400 Stream to the west of set
4700 Leave lower end
East Slope of Mountain
7600 Summit of S. spur E + W
8100 under a point where a few
had four cut trees

6000
4700
3700

130

blays a but no white
marks on them but
at a point - 3 ch. but
I found a second along
line 2 in elev S has pond
at one end and set
lightly in the ground
No. marks on it

from which
Cedar 16 in elev 6 to 6 1/2 m 36
Maple had 20 S. R. 7 N. S 22. BT
Tree 12 in elev 6 to 5 1/2 m 85
Maple had 20 S. R. 7 N. S 23. BT
Cedar 8 to 30 in elev 6 S 60° E 46
Maple had 20 S. R. 7 N. S. 26. BT
Maple 8 in elev 6 S 82° W 50
Maple had 20 S. R. 7 N. S 27. BT

Sail 4700 ch 1st rate
34 ch 30 R. R. - Mountain
Tumble Fir Hemlock + Cedar
Under great Fir in mts
Sept 16 - 1892

Tree line 1/4 S. 52.16 m

585.20' m To Right - bank of River
 467.0' To Left - bank of River
 48.25' Same River - water under
 steep rocky hill
 Summit of Spur C N75
 Dr. creek
 foot of hill under bottom
 River 50 to side of S
 Small stream - C S E,
 " " " " C S E
 intersect - see No. S. C. 28.
 29. 324.33, 2003 R. 7 m
 which is a R. in
 view from point - 1000 feet
 20 S. S. 27 on N. E. face
 328 on N. N. S. 32 on
 3 on R. 7 m, S. 33 on S. E. face
 no match
 from which
 mapped in 1870 at 70° 55'
 was for 2003 R. 7 m - S. 32 S. 37

585.20' m
 467.0'
 48.25'
 52.75'
 56.25'
 60.75'
 68.50'
 74.50'
 79.60'

Thence forward corner to
 Secs 27, 28, 33 & 34, T20S R. 7 m
 Thence West between Secs 25 & 30
 on 20° E
 Same N. River 50 to C. N.
 Same Bottom under hill
 Summit of Spur A & S,
 descent
 Small river C 370 ft
 water 300 ft short of
 1/2 S. on N. which is
 Chertum point 3 1/2 miles
 3/4 - but long marshes
 1/4 S. on N. face from
 which
 Alated 16 miles S. S. 57 1/2 E 4 1/2
 March 1/4 S. 13 T
 An Ash 16 miles N. 11 m 23 1/2
 March 1/4 S. 13
 Thence from corner of
 same is

750
 850
 2200
 3850
 4625
 173
 17
 3 1/2
 1/4
 16
 1/4
 16
 1/4

Hemlock 20 in. d. S 57° E 3 24
 Mar. hick 20 S. R. 7° W. S 29° E 7
 Cedar 24 in. d. S 54° E 2° W 41
 Marsh hick 20 S. R. 7° W. S 32° E 137
 Hemlock 6 in. d. S 38° E 6 4
 Marsh hick 20 S. R. 7° W. S 33° E 137
 S. 24 3 roots.

Dense timber thin Hemlock

Redwood 20 in. d. at 2 in.

Hemlock 20 in. d. Maple

Sept 19th 1892

17 miles Jolo-kon

25
36

Sept 20 - 1892 Started this
 morning with party for
 2 1/2 - 3 P.M. through the
 mountains with our trail
 could not get such horses the
 country passed very rough
 heavy timber logs & brush
 and high mountains so
 we made it - threw 80
 Nos. of John at 500
 P.M. lost by the horses

Sept 20 -

went to 1/4 cow which is
 Am. Maple part of the
 on one side 4 in. d. set
 firmly in the ground
 about 4 feet long.
 Marched 1/4 S on west
 side - from which

On Oct 11 made S 124° E 23

Marched 1/4 S. B.T

On Oct 12 made S 111° E 27

March 14 S. B.T.
 Thence west - Az 20° E
 500 Gain Suez low River bottom
 begin to ascend Mountain
 1200 Summit of Ridge begun
 to Descend
 2950 ch. Samuel Biers house
 S.E. 400 on line
 3200 Creek 5-16 wide S
 3300 begin to descend
 4030 intersect 20 hnt's S of Lee
 to Sec 20. 21, 22 & 29. S 19
 S 37 m. which is a
 Maple part 4 in square
 Set firmly in the green
 - incl 20 in of the slate
 - above ground
 March 20 on m.
 J 19 S S 21 on N.E.
 R. 7 m S 28 on S & T
 S 29 on S. M face
 with 2 notches on S 4 on 9

Five hrs

from within
 R. in 6 in. S. S. 20. 44
 March 19 S. R. 7 m S. 20. B.T.
 R. in 30 in. S. S. 20. 44
 March 19 S. R. 7 m S. 29. B.T.
 R. in 30 in. S. S. 33. 26
 March 19 S. R. 7 m S. 28. B.T.
 March 10 in. S. S. 23. 60
 March 19 S. R. S. 21 B.T.
 Thence N bet 20 & 21
 begin to descend
 Left bank of R. in
 Right - bank C. 5 m.
 Right - bank of river
 left - " " C. N.E.
 intersect 4/4 S part of line
 is a Hemlock 4 in. in
 March 14 S on the m.
 face 30 in above ground
 bet. firmly in ground
 from within
 Robinson on end of 44 m 79

250
900
1150

39

Marched $\frac{1}{4}$ S B, T
 Marched 10 in air to N 27° W 536
 (Marched $\frac{1}{4}$ S B, T
 Rose 50 to C S M
 Leave bottom in tar hole
 intersect corner to see
 16.17. 20 to 21. 19 S R 7 m
 which is maple forest 4 m
 square bet farming in
 the ground 20 in air
 gravel - marsh
 J 19 S. S 16 on N E.
 S 17 on N, M S 20 on S M
 and R 7 m S 21 - from
 June 16 in air to N 38° E 81
 Marched 19 S R. 7 m S 16 - BT
 June 24 in air to S 91° M 25
 March 19 S R 7 m S 17 BT
 June 18 in air to S 22° M 36
 Marched 19 S 7 m S 20 BT
 June 16 in air to S 84° E. 48
 Marched 19 S R. 7 m S 21 BT

40

5000
2100
2900

Soil by ch 1st Rock
 1200 ch 9 R. 1
 under thin Hemlock
 Maple and Ash
 Under growth thin Hemlock
 Rose Maple
 Sep 21 to 1892
 June from $\frac{1}{4}$ S if on top
 described
 on line between S 16 21 & 28
 Saw low River left bank
 Right - bank - leave
 Bottom begins to ascend
 Steps mountain
 Summit of Ridge
 Course S. Do curve E 84°
 Foot of hill 8 m ab.
 Creek C S begin to
 to ascend
 Summit of Ridge C S

450
550
7200
3130
3700

Descend E Slope

41.50 intersect corner to see

21.22, 27 & 28 on old see
 veg. which is a chip

4 in square 4 1/2 feet long
 still standing. marked

J. 19. S. R. 7 m. S. 21. on N. 27

S 22 on N. E. S 27 on S. E.

& S 28 on S. 27. pass with

2 on S. & 3 not to be in

East edge from which

Maple 10 in diam. N 46° W 26

Original BT marked grown
 over

Original Maple 3 in diam. N 34° E 28

marked J. 19. S. R. 7 m. S 22 BT

Hemlock 8 in diam. S 65° E 30

Original BT marked grown over

Hemlock 16 in diam. S 21° W 28

Original BT marked grown
 over

Said 3^d out marked
 and back every 3 days

Timber in cedar marked

undergrowth in cedar

marked marked

marked marked

J. 19. S. R. 7 m. S 22 on

bill at Johnston

which was \$

and started back for

Smith River where over

hills is seen a few

as Williams stopped

for the night at about

about 6 miles Expenses

\$3 - started over the mountain

Trains for Smith River

made at Mr. Cragg

by Mr. Cragg, climber

got over hills by Mr. Cragg

for board and how

in started 7
 Sep 27

we started on our
 way for Drain went
 703 8 miles to Mr Rine
 where where I left
 Am Begg. I took over
 West. Expenses \$2.50
 started for Drain reach
 - at Drain at 1 P.M. got
 dinner and fed our horse
 Expenses \$1- and went
 to Chiles for night -
 I took over night -
 Expenses \$3. - left - 8 P.M.
 in the morning arrived
 at Sertburg by 1 P.M.
 Sept 29. got our dinner
 and fed our horse.
 Expenses \$1.00
 We left home and went
 Steiner to Sertburg
 Expenses \$2 -
 I stayed over night in
 Sertburg. Expenses for two

\$1.50 We went -
 up Smiths River in
 small row boat went
 Milroy expecting to get
 chips could not get any
 had to return to gravel
 I took over night -
 Expenses \$2.00
 Oct 1st 1892 started this
 morning up Smiths River
 in a row boat to
 E. M. Blackwell.
 at which place we
 stayed for the night
 Oct 2nd 1892 we went
 to the corner of Sec 16
 17. 20 & 21 T 2 S R 11 N
 took to Mrs. Cassiday
 M. D. Briggs. L. G. Black
 well, Chas. & Daniel
 Capello Attorney
 Appl. Being Secured to
 discharge their debts

was checked proceed to
 examine line in 21 S 22 11
 Mr. Beginning at 1/4 S post
 on line between Sec 16 &
 21 22 S R 11 N. which
 a new post a cedar 4 in
 square 24 in above ground
 and set firmly in the
 ground marked 1/4 S on
 the North face from
 which
 marked 2 in on S 8 1/2 in 1.06
 marked 1/4 S B.T.
 Cedar 16 in diam to N 67° W 1.03
 marked 1/4 S B.T.
 Thence East on line to
 Sec 16 & 21
 over 20° S
 Assem of Mountain
 350 Sum of Ridge C N 8.
 Abena,
 750 Small Creek 2 Sec 2 & N
 course

Small creek 19 m of cor

ch

* course

1350 Summit of Ridge C N 8,
 Abena
 foot of hill small
 creek 3 1/2 mile C to
 Assem -
 Sum of Ridge C N 8.
 3000 +
 41.09
 descending 1300 ft on
 summit See cor to
 Sec 15-16 2/7 22
 which is a Humbuck
 post marked 21 S R
 11 N S 15 on N 8.
 316 on N 7 m S 21 on
 S, N S 22 on S. C. full
 post 4 in square
 24 in in ground set
 firmly in ground
 or on which
 Cedar 30 in dia to N 46° E 19
 marked 21 S R 11 N S 15
 B.T.
 Humbuck 16 in dia to S 55 1/2 W 43

March 21 S R 11 M S 16
BT

March 6 in sec S 16 M 15
March 21 S R 11 M S 21 BT

March 10 in sec S 41¹⁰ S 30
March 21 S R 11 M S 22 BT

Jan 21 March 21
S 13 & 22

March 21 in sec S 16 M 15
March 21 S R 11 M S 21 BT

March 21 S R 11 M S 22 BT

March 21 S R 11 M S 21 BT

March 21 S R 11 M S 21 BT

March 21 S R 11 M S 21 BT

March 21 S R 11 M S 21 BT

March 21 S R 11 M S 21 BT

March 21 S R 11 M S 21 BT

March 21 S R 11 M S 21 BT

March 21 S R 11 M S 21 BT

March 21 S R 11 M S 21 BT

March 21 S R 11 M S 21 BT

March 21 S R 11 M S 21 BT

Survey made for
E M Blackwell & W

24 Feb Oct 1892

Begun at the S.W.
Cor of Sec 10. S 21 S R

Bar 20

Thence E 60

400 to the 1/4 S part

Thence N

2000 to the 1/4 S part of the 1/4 S

Thence East

2400 Set post from which

Hamblet timbered to 31° N 21

Thence West

1700 Set post from which

Hamblet timbered to 22° N 23

Thence West

2400 Set post from which

Hamblet timbered to 24° N 25

123 1/2

2000
2180.0000
7000.

Survey made for
O W & Mother Co's

1892

Begun at a post
on left bank of
Smith River where
I line between T 20

& 21 S R. 11 N S 3.

Bar 20° E.

Thence South

Set post at foot

hill from which

Hamblet timbered to 48° 1/2 E

Thence West

4000 Set post from which

Hamblet timbered to 56° 1/2 E

Thence

to place of begun

Corr 7000

Thomas Sable with his
boat and started for
J 20 S.R. 11 about 10⁰⁰ South
River Lewis as 8 miles dead
Henry Bays River about
3 o'clock P.M. it being too
late to go out into the
mountains. Lark over for
the night.

Oct 7th

Started for the field

M. D. Briggs and Thomas
Sable Sworn Chas. wine

* Henry Bay at man
beginning at the S. Table West
Carrers to Sac 22. 23. 26 + 27
J 20 S.R. 11 or to which

Chickamauga post 4 in square
24 in above ground but
furn in the ground
Mar had J 20 S.R. 11th

*

Henry made for
made for Henry Bay

M. D. Briggs & Thomas
Sable Chas. wine

Beginning at the 1/4th
post on line to S. 10
26 + 35 = J 20 S.R. 11th

Thomas West

4 o'clock set post for
which

Chickamauga in due Oct 20 9⁵⁸
Mar had C.S. B.T. with
Council

Set Carter post at man
C.S. from which
Carr 19th March C.S. B.T.
139. March C.S. B.T.

150
6000
2
210

S 23. on N.E. S 22 on NW 3780
S 27. on S.W. S 26 on S.E.
2 poles by north & S. edge
faces from which
A. Chittum is derived

March 20 S.R. 11 N. S. 23, B.T.
Nas 20° E

Arch Thine between S 22 & 23
150 Creek with c. S 20° E,
250 same creek below
enter N. Slope of Mon-

450 Dry bed of gulch c. N.
1150 Small gulch c. N.
1400 Dry bed of bluish c. N.
2050 Summit of Ridge c. N.
2700 Horizontal Rock to top
high

2900 Summit of Sharp Ridge c. N.
Decend
3100 Dry Gulch c. N.
Abundant

3650 Summit of Sharp Ridge c. N.

4000
3890
110

71

54

under feet - an
alder tree 2 inches dia
1/4 S on Mar. 14 1/4 S on
west face - from which
an alder 3 inches S 12 N 41
Mar. 14 1/4 S B.T.
No other to be found
Mar. 14 1/4 S

4050 Dry bed of stream
c. N. 85° W

5200 Summit of Ridge c. N.
6000 Summit of
6600 Summit of elevated den
6850 Gulch dry course
7450 Summit of S. pass c. N.
7950 Summit of S. W. pass
on passage of S. W. c. N.
Creek

8050 in descent corner of
of Spec 14. 10. 22 & 23
which is a maple
part 4 in S. pass
3 feet above S. pass

about one foot in
the ground

March 20 S 15 14

on N.E. S 15 on NW

S 22 on S m and R 11

W S 23 on S S face

with 2 notches on E

and 3 on South edge

from which

Jan 26 new to N 80° S 22

March 20 S R 11 m S 14

B.T.

Jan 30 in cu S N 40° m 13

March 20 S R 11 m S 15-BT

Chert in 6 in cu S 28° m 12

March 20 S R 11 m S 22 BT

Chert in 4 in cu S 36° E 40

March 23 S R 11 m S 23. BT

Ag

land mound

Soil 3 feet

Limston Soil 4 feet

Spur + Clear Chert

No baby in north

Then a West to low

abet 15 x 22

Big bed of Sulch

C sign across steps

Mountain

Summit of Spaw Creek

Closest

Small creek C N E,

Assumed

Summit of Ridge C N E

Seen Ridge East down

Small creek 2 to west

C.E. Ridge end

Summit of Ridge C E

Could not find

the low

100

500

1050

1900

2500

3700

3500

4200

Oct 10th 1892 Started
 with party for T20
 S.R. 9th into the river
 went with row boat
 to John Cowing said
 that being the best
 navigation got our
 chinks out Cowing and
 then took the trail to
 top the river trail to
 get horse to web no
 the they had to take
 I had horse a distance
 that Cowing says to
 15 miles to John W. Wines
 ranch where we reach
 about dark we sleep
 over night with him
 Oct 12st 1892
 Started the morning
 with party with
 John W. Wines and

went to Estabro
 cer of old Survey
 to west cor to see
 21. 22. 27 & 28 T20
 R9th which is a
 fine part 4 in area
 24 in blue gravel
 in the gravel
 marked S. 21 T20
 S.R. 9th on N. 9th and
 S 22 on N. E. S 27 on
 S. E. & S 28 on S. W. 29
 with 3 notches on
 3 and 4 on N. edge
 After Surveying in
 Biggs. James S. Bell
 & John W. Wines as
 the procedure to chain
 and true line between
 Sec 22 & 27.
 Was 20° E
 on N. slope of mountain

Creek 5 the river creek
 across steep bank
 10.00 Summit of point on bench
 23.50 Same Creek as above
 39.90 intersect 1/4 S post - which
 is a fir about 4 in square
 4 feet above ground
 from by set in the
 ground. Measured 1/4 S
 in N. face from which
 4 in 40 in. S. 6 1/2 in S
 marked 1/4 S. on the bank
 the other 1/4 S. trees are
 to be found the corner
 is in a fresh burn
 and might be out now
 or elsewhere
 on bench flat
 48.75 Creek 2 the river c.s.
 ascend Mount
 50.00 Summit of Ridge c.s.
 same

48
 54.00 Creek 2 the river c.s.
 begin to ascend.
 56.00 Summit of Ridge c.s.
 57.50 Creek 2 the river c.s.
 68.50 Summit of Ridge c.s.
 ascend
 80.05 intersect corner to
 see 22.23.26 & 27
 which is an Alder
 post 4 in square 4 feet
 above ground set
 fairly well in
 the ground of the
 S 22 on N. M. S 23 on
 N.E. S R 9 M S 26 on
 S E S 27' on S M falls
 from which
 marked 20 in c. u. 1880 828
 marked 20 S. R. 9. M. S 23
 BT
 marked 12 in c. u. S 50' E 93
 marked 20 S R 9 M S 26
 BT

On Adams in view S. 65° N 48
 March 20 S. R. 9 N. S. 27. B.T
 No witness Creek, N.
 Lined Mountains
 Said 2 date timber fire
 Him took cedar nuts by
 breast - One same

Then from side the bed
 Cer No Dec 21. 22, 27 & 28
 220 S R 9 N
 Then 0 North bed 300
 21 & 22

Bar 20° E

Acenda
 4:50 Creek & the C. N.

208 am
 39.50 Summit of Bridge C. N.
 40.00 Northwest 1/4 S. C. N.
 which is a Fair post
 5 in view. 30 in above

Broune's family bed
 in the ground
 Marched 1/4 S on E face
 from which
 16 in view S 42° E 25
 Marched 1/4 S B.T
 16 in view S 66° N 11
 Marched 1/4 S. B.T
 descent

Styrodal from Oct 12. 1892

Marched from Oct 12. 1892

Expenses 31.00

40 day am 200-

5-11, 75-

Have been 35 day in camp
 the inspection 5 days off
 work

March was 24 days

125-

24

5-00

25-0

30-00

2-50

2-50

2-50

2-50

28.50

4.00

24.50

Car to Sec 1.2.35 + 36 J24

S.R. 6 M

J. Oak: inside S 1° E 108

" 20 S.S. 57° N 99

" 14 N 65° N 177

" 14 N 73 1/2° E. 285

1/4 S. Car on line between

Secs 34 + 35 - Nov 1846

21.00 Top of hill

35.00 Enter Oak opening

40.00 Set 1/4 S part from which

97 Oak 12 inside N 72 1/2° E 224

9 " 16 " " N 25° N 367 "

N. Set Sec 35 + 36. Nov 1835

15.00 beam Oak opening

35.00 Road

40.00 Set 1/4 S. car from which

N. Oak 11 inside S 34° N 464 to

October 5 - 1892

on line between S 35 + 36

36.

to S. bay of PC Parker

cl No 41

interest at corner to

Secs 1.2.35 + 36. Set

New post from origin

Nov B.T. Nov 19 1/2

Thence

Set post marked C.S.

from which

N. Oak 6 inside S 68° 40

Thence

Set post marked

C.S. from which

the beam is N 69° E 34 R

on Right - beam set

return C. N.E.

Thence

Oct 6 H

Thence to in cor to S 26 27 34

S 24 S R. 6 W.

Thence

Set mark post 4 in

square 4 feet long

marked C.S. on S & E

face from which

Maple 12 in dia to S 79 1/2 W

Thence N 89 1/2 E

2000 Set mark post 4 in

square 4 feet long

marked C.S. on NW

face - from which

Beak 8 in dia to N 5 1/2 W 33

marked C.S. B.T.

Thence

950 County Road leading

to Oak Grove

2520 Green Valley Creek

Set post on line of

rail fence 4 in square

4 feet long marked

C.S. on S & W face

from which

Willow 12 in dia to S 3 1/2 W 24

marked C.S. B.T.

Thence

2000 Markers less 500

did not set any on

line 1/17 foot on

line bet S & E 22 1/2 27

marked by S.S.C.S.

from which

Beak 8 in dia to N 18 1/2 E 25

" 12 " " S 18 1/2 W 57

4000
 420
 3580

67

Oct 7

Thence from N. W. Corner
 of P. C. Parker Donation
 claim

Set post 4 in square 4 ft
 long marked C.S. from
 B. C. 8 in and post 29.

North Thence

2000 Set post 4 in square 4 ft
 long marked C.S. from
 N. C. 8 in and B. C. 33 ft
 Thence S 89° 45' E

2000 Laid 5 in wire for post
 marked C.S. on either
 face - from which
 B. C. 4 in and N. 50 1/2 16

N 12 Hammers of D. Ball
 - igher than N. P. Pilkington
 4 ft. P. Pilkington

68

Thence from the
 N. W. corner of P. C. Parker
 Donation C.C.

in line set S. W. corner
 of P. C. Parker Donation
 - line C.C. No 41.

Set post 4 in square
 4 ft long - marked
 C. 41 C.S. from
 which begin at B. C.
 - base N 40° E. 16
 Thence N 89° 45' E

Set post 3 in square
 3 1/2 ft long marked
 C.S. from which
 B. C. 30 in and N 38 1/2 16

2000
 420
 3580

69
N. 41° W. 996
218
780

See to Secs 21, 22, 27 & 28

J. 29 S. B. 5. 97 1/2

B. Oak 16 in diam to S 45° W. 156 ft

" " " " N 77° W. 280 ft

Securing man for Charles
Burch Oct 12th 1892

Beginning at a rock set
for S. E. cor of B 5 in
the town of Mays the
Creek J 29 S. R. 5. 97 1/2

Sec 21

Thence

N 43° W. 780 feet to the S. E.

Corner of B 15.

Thence

S 46° 56' 160 feet to S. W. cor of lot no 1

of B 17.

Thence

N 44° 55' 360 feet to N. E. cor of

B 19

Thence

East 70 1/2 feet to N. E. cor of

69
S 33° 27' W. 526
336
170
1560
1041
1112
671
845
840
10
465
70

B 17. N. W. 1/4 Sec 13

Thence from the S. E. cor

of B 17, N. 101° 22'

347 feet to the

Thence

515
340 feet to N. E. cor of B 17

See cor of S 21, 22, 27 & 28

thence from the N. E. cor of

B 17 bears N 65° W. 92 feet

Index

	Page
1892	
July	
1	4
Extension of J20 SR 1 M	
4	11
Subdivision	
11	13
J20 SR 2 M	
16	17
County Road in J29 SR 5 M	
18	20
of B. Riddell	
21	23
of W. M. W. & Co. Adams	
23	24
J 21 SR 11 M	
25	"
Marion Ryan	
26	35
Inspection of E. Leavigs	
of J20 SR 7 M	
36	43
J 19 SR 7 M	
44	48
J 21 SR 11 M	
49	
E. M. Blackwell	
50	
C. M. Watson	
51	56
J 20 SR 11 M	
57	62
J 20 SR 9 "	
63	68
Williams	
69	70
Leavigs Buicks	

30

$$\begin{array}{r} 12 \\ \hline 18 \end{array}$$

3

$$\begin{array}{r} 21 \\ \hline 300 \end{array}$$

$$\begin{array}{r} 10500 \\ \hline 2625 \end{array}$$

12

$$\begin{array}{r} 18 \\ \hline 161 \end{array}$$

100

$$\begin{array}{r} 261 \\ \hline 25 \end{array}$$

$$\begin{array}{r} 932 \\ \hline 5634 \end{array}$$


$$\begin{array}{r} 34 \\ \hline 5634 \end{array}$$

$$\begin{array}{r} 74 \\ \hline 61974 \end{array}$$

$$\begin{array}{r} 125 \\ \hline 26 \end{array}$$

$$\begin{array}{r} 23 \\ \hline 250 \end{array}$$

$$\begin{array}{r} 26 \\ \hline 2625 \end{array}$$



6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

90.00
46.55
 43.45

170
35
 30
30
 139

45
 5000
40
 8920
160
 882