OSCAR THIEL'S

FIELD BOOKS

BOOK 2

INDEX

Oscar Thiel's Books

The following information was compiled June/July 1982. It is not necessarily indexed into the regular Surveyor Office files. USE AS YOU WILL.

BOOK 2

T-R-S	FOR	PG.	CONTAINS INFORMATION CONCERNING:
T.22-9 Sec. 12	Yantis/Workman	2	SE cor. Lot (?) 13
T.22-9 Sec.	Baker	5	NW corner DLC #40
T.22-8 Sec. 15	Brown	7	NE corner of Sec. 15
T.22-8	Sawyer	14	NW corner DLC #49
T.25-5 Secs. 8&9		15	Line between 8 and 9
T.24-5 Secs. 5 & 8	Crawford	24	1/4 Corner Secs. 5 & 8
T.24-5 Sec. 5	Crawford	25	NE cor. Sec. 5
T.22-6 Sec. 12 & 13	Lewis	28	1/4 Cor. Secs. 12 & 13
T.22-5 Sec. 17	Whipple	39	South Drain Block 34

(Pages omitted are difficult to determine location and/or value)

Book 2 page 3

T 25S R5W Sec 4

Glenn Wells 4-11-46

Recheck prev survey

Book 2 page 2

T 22 S R 9 W Sec 12

Norman ~~of~~ Woolman - Yantis
11-22-46

Begin SE Cor Sec 13 - E & N
set pipe


Book 2/4
O L Kruse
4-12-46

Book 2/5

T 22 S R 9 W DLC 40

Van Landgenham. 4-18-46

X W Cr trees standing.

Book 2/6

Sea Link South.

Row River & Hwy 58

Book 2/7

T 22 S R 8 W Sec 15

Henry Brown 4-27-46

NE Cr Sec 15 Cor Stone

Book 2/8

Sutherlin.

Owen Rose 4/26/46

Cor. old Bank building

Book 2/9

T 21S R4W Sec 30

Clarance Aylard 5-3-46

Beginning pt. only

Book 2/10

T22SR3W

Wayne Berggren S= 7/8-46

Begin NW Cor Sec 19
N to ¼ Cor

Book 2/11

T 25 S R 5 W

G.S. Longton 5-25-46

Block 7 Lot 12

Book 2/17

T 25 S R 4 W

G Larsen

5-28-46

Book 2/13

T 20 S R 4 W Sec 23

Johnson 5-10-46

Subd. part SE¼SE¼

Book 2/14416

T22SR8W: DLC 49

Ralph Sawyer 5-14-46

M 4 B 5-20-46
7-2-46

Book 2/15

T 25 S R 5 W

W O Wagner 5-14-46

1/4 Cor 8-9
Line 50

Book 2/17

T 21 S R 5 W Estes DLC

/

Lloyd Bridges (Spring Survey)

Line

Book 2/18

T 24 S R 25 W

Bert Hill 6-15422-46

Begin NW cor 4/3 3

E along twp line & cors Lot 9

Book 2/19

Paul Lorenhagen 7-3-46

N of River

begin SE Cor Lot 13

Book 2/20

T 23 S R 3 W 3rd 4

M. B. McGregor 7-5-46

Book 2/21
T 25 S R 5 W
Skelley Addn. Block 4 Drain

A H Hubbard 7-9-46

Book 2/21

T 22S R 6 W

Frank Cunningham 7-10-46

Book 2/22

T 25S R 5W Brown Addn

James K Watson

7-16-46

notes incomplete.

Book 2/24-25

T 24S R5W SW ¼ SW ¼ Sec 5

Robt Crawford

7-19-46
7-24-46
8-1-46

Book 2/26

P O Levenhagen. 7-26-46
Prof Marsh.

Tract next River

Book 2/27

Elkton.

Carl Johnson 7-27-46

Line along road

Book 2/28

T22SR6W 1/4 14/13

Wilbur H Lewis 8-3-46

Lines

Book 2/30

T 25-5 R 4 W.

Alice Thomberry 8-6-46

Tied to NE cor Civ Settlers
D.L.C. cor quit

Book 2/31

Robt Crawford

Joins Hwy 99

Book 2/32

City Drain 8-17-46

Wm Cellars land.

Book 2/37

T21SR3W, 7

Tied to ¼ Cor 12/18
side cemetery road

Book 2/33

Ray Farnsworth 6-18-46

Book 2/34

E Whipple 8-19-48

South of Roseburg & W of Hwy

Book 2/35

Drain - Skelly Addn

Ed Sterling. 8-21-46

Resurvey Bl. 4 Skelly Addn.

Book 2/35

T 22 S R 4 W Sec 24/35

Mr Kissling 8-22-46

Book 2/36

Sec 22

Ed Sehlin 8-26-46

Begin S.E cor Sec 22

N 20.00

E 29.00

Book 2/37-38

S W Newland 8-31-46

Traverse of M & E Survey.

Tie ¼ Cor at end

Book 2/31

Drain B/34 Lots 7-8

James Whipple 9-3-46.

Tie to DCC Cor.

Book 2/40

Frank Solomon. 9-7-46

Measure clear land.

along Hwy

Book 2/41

A R Hudson 9-10-66.

Creek - RR bridge & Hwy.

Book 2/42

Floyd One? 9-21-46

Tract along Hwy - Creek
& Orland Park.

Book 2/42

Floyd Craig

E from 1/16 Cor
M & B survey

Book 2/43

Paul Levenhagen 9-26-46

Begin SE Cor Lot 12

Line Marsh Land.

Book 2/44

Glenn Wells

10-5-46
10-8-46

M & B Survey

Begin in road.

Book 2/45

Glenn Wells. 10-10-46

Parcel 5 of Overman.


WATERPROOF
FIELD BOOK

RETURN IN TEN DAYS TO
O. F. THIEL
SURVEYOR
YONCALLA, OREGON.

REGISTERED
OREGON
LAND SURVEYOR

MARCH 10, 1944
OSCAR F. THIEL
4

R. J. Randall

One acre
3.17 x 3.17
Benton
Co

Chas Collins
Douglas Co.
abstract Co
Wells
Jos Morgan
E. S. Woodford
(Surveyor)
P.O. Box 454 Roseburg
Route 2 Tel. No. 736 X

Sec 22 S 26 W
NW¼ NE¼ 33
SW¼ 24 31 8 40

Grade 4.6
3.6 Top of highway
1.0 below grade
drive ½ 4 pipe North of Section
nal.
4 ft. 6 top of Grade

34 4 34 66
66 264
264 22
2204 2.88) 43560 (152.
2204 288
1490
1440
500
572
28

R. H. Baldock
State Highway Engr
Salem Ore.

N. P. BANK NOTE CO., TACOMA
Rite-in-the-Rain

Norman E. Wootton
Don Yantis 2

Mar 22nd 1946
Sec 15 Tp. 22 S R 9 W

Begin at an iron bolt on
the S&E cor. of Sec 13
R um S 80° E 9.00 gal iron
pipe North 69 alder 14in
dia Bore marked S on W side
4.12 iron pipe

Begin at same iron pipe N.
6.78 chains to an iron pipe
at low water edge

Begin at iron pipe S 80°E
9.00 thence S 810 E 5.50 chns
½ inch x 15 long North 800
to low water mark 3½ in
water pipe.

N. P. BANK NOTE CO., TACOMA
Return this Ream

3

Wm Wells
April 11th 1946
Sec 4 Tp. 25 S R 5 W

This is a recheck of survey made a few days ago. No pipe corners were set.

The N¼ cor of Block 100'x100' near top of hill bears West feet and South of the ¼ sec cor bet. 3-4.

West. line of survey brs N 29° W

1 description $12.50
2.50

4

U. S.
C. L.
Forest
Stearns

Sutherlin.

April 12 1946

Went to Sutherlin left Yoncalla 8.30 to Sutherlin at 11.00 left for Oakland 2½ hrs 3.75

1 P M for A. J. Stearns
To 6 P M 3 hr 7.50

On South side of 99 Cor of fence on S. side N. & S. Sec. line steep asc. Measured from iron pipe near top of hill. North to highway 455 ft to South side Iron rod on N. & S. side of highway Recovered 4 15 46 $5.50 P.O.

455 / 2 2 7½

H. P. BANK NOTE CO., TACOMA
Return this Rec.

Forner
Stearns due $8.50

$6.00

Floyd Baker - etal

Jp 22 & R 9 W.

April 18th 1946.

Beg in ad. NW cor of D.L.C No. 40 ext for → stake old tree standing remarked ald trees. Cor. stands on SW slope Run S 58° 30' W desc. 10.35 stream N 19.75 ext oak post on esc line

North ex Random line 11.62

1500 / 114 / 16.14

From cl. line on 3rd line S 1600 in field — side of Road.

1600 / 114 / 14.86 to S side

N 23° W

4/25 From highway S 24° W

From S side of NW Pine 16.90

14.66 20.10 (

1466 / 1466 / 1.37 / 10262 / 4398 / 1466 / 20082

5340 / 4398 / 942 / 1690

1690 / 10000 / 10140 (6.00

1686 / 1500 / 1390 / 15.95 / 100000 (6.26 / 9570 / 7600 4300 / 6243190 / 9600 / 3200 / 9600 / 1002 2.0

From RW 42 feet pod RW South. On S side from High-water River 15.09 (along RW S 64 W 3.58. N 5 W 3.71)

8041 / 5 / 24 / 2 / line

Cattle line

See line

On top of mountain

From stake 12.00 Road. S 2.00 center of River

N 2.76 to stake on S side RW marked wh. oak 16.90

N 3° E 7½ ft marked R & B T S 16

W 6.07 - S 3.55

N. P. BANK NOTE CO., TACOMA

Return the Rain

11.62 + ext

S 58° 30 W 45.00

4.58 #57.50

7

1 day
Mus pd

Henry Bogum
April 27th 1946.
Tp. 22 S R. 8 W.

Begin at N.E. cor of
Sec. 15 (stone corner) of
North Var 21° asc.

apr 27 12.50

Owen Rose 8

April 26 1946.
Ben Sutherlin

From S.E. cor of old Bank
Bldg. N. along W side of
Street 220 ft from iron
pipe & iron pipe. from
N.E. cor of Bl. South 27½
ft to N.E. cor of Rose
property ½ in pipe thence
S 27½ ft ± S.E. cor. cor.
on pr avenue @ 43½ 4.00

$7.00

N. P. BANK NOTE CO., TACOMA
"Ruled in the Rear."

9

Clearance Contract
May 3rd 1946
Sec 20 Tp. 21 S R 4 W.

Begin at junction of Scotts Valley Road at R.R. crossing with Co Road

16.00
1.50
17.50

½ day
1.1

$6.00
10.00
16.00

Wagner Bergren 10

May 7, 8 & 11 1946

Begin at W 1/4 cor of sec 19 Tp. 22 S R 3 W. NE & NW bearing tree standing east 25 ft stake. North from cor Var. 21° E at 40.22 Intersect W. 1/4 cor 24 ft stone in place with X mark with nails tree bey 2 L.

Begin at same sec cor run S 89° W 40.60 Intersect South 1/4 sec cor 63 ft

S. E. tree standing old Laurel gone Fir cut in no marks & blazes

(Lane Co.)

N. P. BANK NOTE CO., TACOMA
"Return the Favor"

(8th)

Pd #12.50

11

E. L. Longton
Tp. 25 S R 5 W
May 25th 1946.

SEC. (?)
(SUBD. ?)

Block 7 Lot 12.
50 x 120 ft
N 12° 30 W.
South line of Lot
S.W. cor & SE cor
iron pipe 9 inches N.
of edge of pavement
of Forest SE cor of
Block 7 West 10.46 ft.
+ 100 ft to Highway
Set iron pipe at 4 corners

$13 00

E. Larsen 12.
Tp. 25 S R 4 W
May 28th 1946

For writing description
of land $10,00

J. N. Sparks
Tp 25 S R 5 W
June 7th 1946
Survey for piping
on Mathis Place $12 00

City of Orem
Tp 22 S R 5 W.
June 12th 1946
Survey for sidewalks
in South Orem 8" $12.00

Orem Coal
June 15th 1946
Survey on Block 5. 30

To Reading at $10,00
desc (Manning) pd

N. P. BANK NOTE CO., TACOMA
"Ritz in the Rain"

13

Johnson

May 10th 1946

Begun at N W cor of the
½ SE¼ of W SE ¼ of Sec. 23
Tp. 20 S R 4 W yard post cor
Run East 10.00 drive an iron spike
for corner. East 10.00 at crab
apple post on old fence line
Returned to iron rod run S
15° Thence East 10.00 in field
South 5° to an E & W line fence

Tp. 20 S R 4 W

(LANE CO.)

23

SW¼ SE¼ SE ¼

SE S/E.

20.00 20.00

14

Ralph Sawyer

May 14th 1946

Tp 22 S R 8 W

Begun at N W cor of andrews
Sawyer's D.L. No 49 Tp 22
S R 8 W Stone exposed to ft
the cor. R N. 39° 3½' E steep dec.
ft. of dec steep dec

(B) From cor of Sawyer DLC
East 966 ft of dec and on
Neighway 38 ft to water edge
to the (2 52 10) marked a balm
tree 12 D S L
from 966 ft S 86 E 49.6 Course of
Highway S 39½ W 18.27 Chns to
Culvert on highway From Culvert
on N W to River S 39 E 28 ft
N W to Culvert N 44 W 84 ft
Along N W 38 ft 22.18 S 40 E to R W

N. P. BANK NOTE CO., PORTLAND
Return this form

252 38½
900
2 8

15

H. O. Wagner
May 14th 1946
Tp. 25 S R 5 W.

Var. 20½

Begin at an iron pipe on the on line between 8-9 South at the ¼ cor found iron pipe in mound cont South 7.00 Rock mark by ash blaze bl oak cont South

Var. 20½°
Returned to ¼ cor South 400 ft. cast iron pipe
Marked 32 B & B 3 ft
W. oak 20 B 7 W. 39.4
Run N 89° 15 W through
Logged timber 30.+79 ft
Highway fence + West to
North line fence Run South
400 ft Enter E. W. 4.03 ft.
Retrieved to pipe 400 ft S of ¼
Cor. South 13.94 Iron Pipe
S 5.16½ 3 iron pipe

3 days
Rec 2½"

Ralph Iron & Solomon Jamieson 16

May 20th 1946

Commencing at the Highway intersection on East side of stone mound marked at stake 8.6 ft S. for center of W.
Run N 44 W 12.6 N 40 E 1.50 N 2½ W
1.18 N 37½ W 79

July 2nd (17)

Begin 96.6 ft on North & side of W from Highway 3.00 ft
near NE of bridge marked
ash oak 10 N 75 W 14 ft
Run N 39° E 686 ft change
Course N 37 E 1 Nat ft witness Cor
& 17 ft to center of stream
ash 15 in 8 W 3 ft D
8 2° W Wet cor
Course course N 24½° W 54 ft to
Cor in creek &
W on S side of Rd W 7.00 NP 2.7 ft
Tp 4.00 to Road 2.75 ft

1787

1787.7
686

1101
2 large tree
1 " "
2 plats

17

Lloyd Bridges

Add'l S.P. 4"

TP 24 & R 5 W

Spring & survey

Begin Rein N. 49° W 110 ft to fence cor on S line Estes Ck at a cedar stake on N & S line:

N. 48° W 2 ch - 38 ft.
" 33 " 3 chns
" 34 " 2 "
" 15 " 2 " 56 ft
" 33½ " cr Elm 6 ch. 57 ft to bank of Pass
N. 19½° W 431 ft to S. side of RR R/W

Begin at Ent cor of Estes
Don West along fence
14.80 chns. ~~thence~~ to spring
~~S 18½ W 2 chns 8 lks~~
S 14½ W 5 chns - 26 ft to board fence

DD
$15.00

18

Bert Hill

TP 24 & R 5 W
June 15th - 22nd 1946
Begin on TP line at 4 cor. bet 4 - 33
East on TP line 4.35 fence cor. 8.35 Eaglew Co. road & W. in 12.98 iron pipe N. 37½ W. 1.26 stone being S.W. cor of Bl. 9 N. 52½ E. 10.22 to stone at fence cor on top of rise. South 3.12 set stake 30 S. 2" x 8 pipe along fence on TP line thence West on TP line 7. to an iron pipe Begin at S.W. cor of Bl 9 N 37½ W 150 ft to center of RR. zone line Exact

N. P. BANK NOTE CO., TACOMA
"Rite in the Rain"

PD
6/22 $24.00

19 Paul Lagenhagen

July 3rd 1946.

North ft River 3.70

S 75°30' 5.45 North 5.72

Begin at SE cor Lot 13
Edge 25.00 W of Orchard
N 75½ E 5.45 ft. iron pipe
North ft River 3.70 chs



3.70
5.72
2 | 9.42
4.71
5.40
18.8.40
25.1340
23.55.15
5.72
2.02
40

5.45
5.72

3.40 E cw

471
540
18.8.40
25.5.5
25.4.340

#20.50 due

20 N. B. McGregor

Tp. 23 S 3 W

July 5th 1946

Var 21½ E

Begin at N E Cor of Sec 4
Run South ft River and
run meander this line
July 6.

Begin at corner cor of Tps
Lines run East Var 21½ E
Alder acc. 20.00 Gen Stake mk
Yoking for Tyonka Run South
on E side of Lot 1 20.00 ord a
Cedar stake 20 ft East of spring
and foot of hill.
On the Tp line the 1/16 cor N 19.50
a survey Stake. East & links in
mound of stone. No marks on stake
On left of ridge local attraction
Pine stands from top of ridge to
corner no old blazes to the ground.

(LAND CO.)

1406
75
6.56

N. P. BANK NOTE CO., TACOMA

5-11 = 16.50
6 c 9.00
25.50

2 PM ft
2550
2
27.50

Ø Ø
ft 27.50

21

A. H. Hubbard
S Kelley Addition
7/9 Block 4 1946
Begin in N alley in
Bl. 3. Beg. on Alder
16½ ft. E of Elm & 240 ft
± E side of Block. Set cor-
ners ± S ½ of Bl. 4.

Pd
$5.00

Frank Cunningham
Tp. 22 S R. 6 W
July 10th

Did not do any real
surveying. Set stump cor.
in field 3¼ inch pipe.
South Elmer Hill land
from S. W. cor.

$13.75

22

James K. Watson
Tp. 25 S R. 5 W.
Browns Addition
July 16th 1946

Begin on Pierpont Street on
the South side

Pd
$12.50

N. P. BANK NOTE CO., TACOMA
"Ritein the Rain"

1690
1162
528

Deed in Deed

1162
3290
4452
2722
1730

1690
1476
3166

2638
1162
1476

1162
1476
2638

Baker Survey

S 58° W 19.75
to sec. North 11.62
from S line prem
to line 16.90 in field
S side of N.W 16.90

23 Cstg & Stain Grade & B St.
July 19 & 19 46.
R Restaurant 12.00
1.60
12.60

J.W. Parker

Robt Crawford 7/19-1946 2 1/2

Begin on E & W road and on Prairie Highway S 12° W along highway 14.00 chs offset to R/W and 80 lk. Line fence N 15° E 2.15 chs S 13° 30' W 4.83 chs S 15° W 5.50 S 16 1/2° W 5.00 to 10 lk corner RR & cedar stake marked with cut 12" S 87 W 21 lk. Thence 1.20 W side of ser to W 1.82 lk wire fence from beg point on W ser N Existing pavement 23.00 lk to T. Line

July 21st 1946

Begin at E cor. bet 3/8 Sec. 24 S R5 W double piece of dogwood with nail in wood by cor. Set stake & offset West 1.07 1/2 chs. North 9.75 stream E. Sec. 20.00 on West side of paved road offset E 1.07 1/2 to line North 21.78 Center line of 3 tap 25.31 line of R/W N & along R/W W. 3.91 lk stake from which R/W set on center line of road North 2.94 lk S & W line

1.50

N. P. BANK NOTE CO., TACOMA
"Rite in the Rain"

130

Robt. Crawford Contd

aug 1st 1946

Begin at N.E. cor of sec. 5 Tp 24 S R 5 W Measured N along dge 20.07 center of P.R.R. track N.E. bwd. 25.17 to center of Highway 2.6.31 to W side of Highway R.W. N. 33.16 to center of old Highway S. 18½ W. 11.00

S 18½ W	11.00		33.16
	W		3.49
10.06 =	9.46	-3.17	36.65
1.06	.95	.32	3.35
	10.41	3.49	40.00

W. 3.35

aug 8th

Begin at cor sec 5 Tp 24 S R 5 W Survey set same dist on N. & line set 4 stks 1.06 of N.W. cor. thence South. & marked ch. Ok 6 W 23 ft on bank of old road S 9° E 2.70 S. 30.2 to W. of hwy post

July 26 1946

Prof Marsh

Beg. at water edge South 4.40 E 2.50 from Post at Each & corner South 1.42 E. W line 24 4.16 to center of road

North on E hdg Mark bank to water edge 4.70 pipe

Begin on West side of E 2 lots 208 ft. from River & 5.23 Lt line 7.89 to Road from Road North on West side orchard 2 41 3/4 1/2 iron pipe on E.W line on to River bank 7.69 to water along road SE 5.11 pipe " " " 3.15 pipe West -186 ft West 2.81 last measure Roadway 16 ft wide

due N 13°

H. P. BANKNOTE CO., TACOMA

8/26 1 day

27

Earl Johnson
July 24th 1946
Elkton

Begin at S.E. Cor of property
S 45° 57' W 175.2 ft to/ an iron
pipe (3/4) thence S 45° 57' W along
street 77 ft to Co road
North along road 125.1 ft

12.00

28

William H. Lewis

Aug 3 1946

Begin at 1/4 cor Sec 12, T 13 N R
8 W W.M. old stake cor by mg
reft by a big yew 10 ox
N & E set stakes mg W.M. bk 40
S 1° 2 W
West from corner
6.71 chs bank of Elk Creek
offset North accord Pass Co.
above point on line on West
side of Co. Rd. Contr. West
West 2.06 W 33 + 206 = 2.39 chains
Aug 10
Begin 4 ft S of Center of T N W
Shell 8.31 chs to iron pipe
S 62 E 2.49 chs on x of stone in
Center of Creek Center Cr N 40 E
Beg in Sec corner entering North
7.27 center of old Road 7 ft
R W 2.58
Old Neigh S 52 W 2.25 N. 88 W
2.12 to beg pt.

2755
105
1.07

N. P. BANK NOTE CO. TACOMA
Rite in the Rain
8 3 1 day
8/10 24 "

5/21/47 Pd. $7.00
$12.00 Dec

29

Harry Cook
Sub North of Ed
Sterling 50 x 100 ft.
in NE. Cor of Block
$5.00

30

Alice Thornbrey
T. 25 S R. 4 W.M.
Pierce 1946

Begun at the NE cor
of Colin Sutherlin D.L.C.
No 56. yona.

N 46° 15' E 5.70 to South
cor of Bl. C. N 49° 20 W 3.64
red fork stake on steep hill
rich. N 40° 40' E 6.10 oak peg

N. P. BANK NOTE CO., TACOMA
"Ritz in the Ram"
L day

31

Robt Crawford

S.15 E 3.25 S.14 E 3.15 to S.W. cor. of Cross Road E to N.W. cor. of from N.W. cor N 11½ W 23.2 ft to center of Cross Road & N.W. 5.33 to Roy W. N.W. 99. The cor. of N. W. fence is S 12° W 30 ft.

S 87½ E 5.33 center of Road. & N W 99

16.18 acres

3.89

City of Drain 32

Survey of 1946

Began S. of S E cor Cellars land on W 2925 ft N 20½ W. 200 + 250 + 159 N 66 W 181.5 + 250 + 200 + 220 + 250 + 200 + 125 across ravine 225 across road 225 End ravine West 1 day

3.89

Beginning S. 89 chns. East of the E cor between Secs. 7 & 12 Tp 21 S R 3 W. pipe thence East 3.33 chns to pipe thence N. 9.10 to N side of Roadway to Cemetery road way & the S W. 3.27 to an iron pipe thence to beg pt

(LANE CO.)

H. P. BANK NOTE CO., TACOMA
Ruts in the Rain

33

Ray Farnsworth
June 18 th. 1946

Basin in center of Elk Creek N. 30½ E 15 fa. 8 in Fir tree 250 ft a grape vine 6' thence N ~~[illegible]~~ to R of W at ~~[illegible]~~ 30" S Marked a Wh. ash 14" N. 6° E. 6 ft.
North 8½ E 3.00 Lus. 7 pk. to R of W. in stake along R of W N. 78° W 2.67 N. 75 W 2.39 N. 64½ W 3.77 stake ~~[illegible]~~ marked 5 for 11 S 3 E 17 lk. South 75 pk center of cr

Beg point for stake
R/W Retracheon Cors S 23½ E 8.11 ft
lk wall rock 30" lks S 49 E
S from ne. cor 30 pk. East 8.89 lk
N. S line 42½ pk S of stake on South R of W.

Stake for 1.50

S of old road N 86½ W 1.91
one line N. 46½ E 2.71 lks

132½ E. Whipple 2 132 3 — 34

South of Roseburg
Aug 19 1946

Begin at S. cor on W side of R/W of Hwy S 27° E 144.5 fa of the S. E. cor upon which a 5" fir bears N 35½ W 6.28 lks & R/R Road W. down R.R. S 39½ W 37.45 S 82½ W 28.3 S 82½ W 2.5 lks cor (stake)

Roadway to P. H. 2 S 8½ E & N.W.R. of W 135. ft. S 33½ W

S 86½ W ~~[illegible]~~ ash tree by E. cor N 89° 32 E given in description This line shows. Van 182

R. P. BANK NOTE CO. TACOMA

8/29 trip to S. of Roseburg. ½ da

35

Ed Sterling
S Kelley Add to S. Drain
Aug 22nd 1946

Resurvey of Bl 4 S Kelley Addition & South Drain
Ext. Cor. stake at SW & SE & NW Cor. in mound of stone.
N-S line and S 89° E.
Alleys are 16 ft wide.
Streets are 50'.
Pd. by city 5 hrs.

Mr. Kiesling
Aug 22nd 1946
Run line ½ mile on section line between 26 & 35 T 22 S. R 4 W. Found all blazed lines.
Lowber survey 6 hours 6.00
One day 13.00

Ed Sterling 36
Aug 26th 1946 T 6 R 3

Beg in SE cor of sec 2-2 wild trees gone N. over hill 2 rods to stake marked for 30 N 21 E 19.4 ft
18 S 10 E 18.5 ft
S 89° 3/4 E ase top end of ridge 29.00 set stake on hill side
This line is very rough on the N & S line did not find any old blazes for some

M.F. BANK NOTE CO., TACOMA
Retain the Rain

City Drain 13.00

37 S.W. Newland
aug 31st 1946

Begin at 25.00 S. outh e 1/16 cor.
West dist. 7.55 pipe in E bank Cr. 7.15 + 33 center of
Creek S. Sun 30 ft west of
center of Cr. offset 21.50 ft.
W ink ft. 7.90 Cr. S 80 ft.
N 84 W at 5.11 Cr. S 150 ft
8.00 ft S side of Road right-of-way
West at this point center of Cr.
S. 3.30 S 58½ W 3.00 S Cr. N 5.54
center of Cr. 61 chains S 60½ W 3.00
from this center of Cr 80 ft
S. 27 W 4.55 S 17 W center of Cr E
76 ft at 5.00 chs. leave Cab R. in
field 9.81 Cr. E 75 ft. S 12½ W.
4.50 S 22½ S 1.67 Cr. E 80 ft
S 14 W 2.66 to turn in creek
140 S 10 E ft Cr. S 80 W 2.45
Center of Cr. S 25 E 80 ft.
N 50 W 3.45 N 40 W 2.66
Cr. crossed S. W.
N 57 W 4.85 Cr. is S W 40 ft

one day

S W Newland 38

N 38 W Cr. along line
160 ft turn in Cr.

S 84 ft 14 ch W 80
S 83½ W Cr S 80 ft
5.22 Cr S 1 ch
N 59 W 4.75 Cr S 1 ch
N 88 W 2.30 along Co road
Creek S 1.00 chains
S 85-40 3.00 along road

Angle ft house on creek
50 ft E & center of Creek
house bears S 48 W
S 85 W along road 8.00
flag on bushes bears S 39½ E
at this pt Cr bears S 1.20 ft in
front of barn
along RR S 86½ W 3.00
S 64½ W 6.50 ft line fence
from ft corn ft Cr 1.50

W. P. BANK NOTE CO., TACOMA
"Ruled in the Loom"

½ day.

Dese.

$\frac{6.50}{18.50}$

39

James Whipple
Sept 3rd 1946
Locating cor & Lots
7-8 Bl. 34 R.S. Drain
T. 22 - 5
S. 17
Began at Calcium corner & remeasured line North 858 ft. (13.00 chs.) Then measured line from center of St. on the North at 278 ft. iron pipe 320 North of R.R. track. Then 60 ft across rail road. Returned to S.W. corner of Lot 7 measured North 33 ft in Co road per S.W. cor of Lot 7. Then North 40 to a 3/4 inch pipe then 80 ft thence North 40 ft set a sawed 3x3 for corner. + 4 ft to other line.
There seems to be an error in the old measure shown be 13.40 + .50 or 13.50

13.50

Frank Salomon 40

Sept 7th 1946
Measure of Edgar land
along highway road
3.00 6.00 & 14.00 to west end
near building S.E. across the
west end 0.60 from state
8.00 to Ravine 1.12
from 6.00 to river 1.64
" 3.00 " " 1.78
1 .00 1.90 in garden

1.99 acres

N. P. BANK NOTE CO. TACOMA
Rite in the Rain

4 2 2 3 7 5 37 2

5 2 1 2 8 1 1 16

50
100
18
100

266
563.44

829.44

Mr Salomon

Begin on S. side
y Highroad along
by S. side 600 ft
Bldg. road to River
pence park 27 11 ft
bank E 3.00 38 11 ft
Bank 1 ch. 37 16 ft R. 27
1 Ch. 61 ft. 30 ft Bank
2 ch. 14 ft to Riv. 44 ft

5634 ft

66
13.

198
66

858
829.44

28.6

2.49 chg to bank 16 pd
1.31 " " 41 pd. Tornatore
15 pd Ed Cutsinders.

August 7 ~~1946~~

Mr. John A. Olson
Sutherlin,
Oregon

ACCOUNT WITH

Douglas Abstract Company, Inc.

ROSEBURG, OREGON

TERMS CASH:

Abstract Search	
Abstract No.	
Title Policy No.	

46
17
49

R. R. & Hudson

Sept. 10th 1946

Begin on S. bank of Cr. center of Cr. 30 ft. N.E. in line F.S. from center of Cr 7.45. in field. W. 40 ft. at the ft center of Cr. North 100 ft N. 72½ W to R.R. bridge from this center of Cr N. 100 ft

5.20 center of R.R. bridge S.E. N. W. 6.22 ft to center of Cr. S 50 W. 2.88 ft to head of ditch on N.

N. 49½ W 3.25
" 33 " " 1.30 center of ditch
stream W 1.75 ft post on W side of Highway

Bal.
Paid 1/5/1947 $16.00

Floyd Coe

Sept 21st 1946

Beg. on highway South 4.66 from iron pipe (old) South 400 from iron pipe to center of Creek. from highway S 65½ E 5.15 to center of Cr. From S E cor cedar and Oak tree cor on S side of Highway Brs S 50½ E 2.00 L 132 ft at 10½ ft N W of tree cor N E on highway 5.50. N E 3.00 and 39 ft to E line. on E line to Pt $8.50 fence cor. 20½ ft

Floyd Creek

East from ¼ cor 400 ft. East end of old buggy shaft dug fence South 5.00 ft to end of fence S 84½ E 8.83 E 5.75 to high water S. 63° E. down creek on E line 900 ft

543 Paul Luyntheyen
132 Sept 26th 1946
54
186
93
2.7

Begin at S.E. cor Lot 12
measured S, 5.10 & 3/4 in
pipe

Measured East from
Marsh bank. 186 ft.

along N side of road
S 87 3/4 E 5.10 & 6.7 ft
" 86 E 3.10 9.8 "

66
26.8
92.8
4.6
9.4
13.

from Marsh S.E. cor S
66 ft + 26.8 ft E & 65½ ft
S line of Lot 12

65½ ft E of S.E. cor 12

66 ft 55.3

From S.E. cor
Marsh Lot 8 1.4 ch. and
East 99 lks to cor of Lot 12
Amt due 13.00 Chg for No chang
12.00 marked 12.00
25.00

Glenn Wells 44
Oct 5th 1946

Begin in roadway 30 ft S.E.
from E side of Road S 44 ¼ W
2.00 ft N 19½ W 2.00 ft S 44 ¾ W
106.4 ft to West line

North 7° W. 1.16 ft 2.54 ft
to stake
N. 19½ W 99 ft to road 2.20 &

stake (N.E. cor) from N.E. cor & S.W.
Oct 8th 1946
Begin on ave line S.W. cor
Underwood along fence descend
E & W fence applies on old blazed
line 14.00 ft = 21.21 chns.
S.W. cor Brown from S 21.3/12 E
Oct 10th
Measured S 84 ft & for 20 ft
for cor from for Lot N 88.5
to line cor S 45 ¾ W 324 ft
On West line N. 984 ft Oswalds
Cor. due 10.5
8
10

1300
1350
1350
39.7

Orinton N line 48 ft

M.P. BANK NOTE CO., TACOMA
went to
Roadway before noon
worked afternoon.

45 Glenn Wells.

Oct 10th 1946.

Parcel 8 of Overman W. side of Street S 80° W 124.5 on W. side 69 ft on E side of Overton 50 ft to S E cor. N. 12° W.

(Koon) moved N line S. 30 ft SW cor S 74° W 20. S 29½ W 20 ft W 7½ ft to cor N 49° E S line N. line of corner moved E on S 130 W 20 East across 111.5 ft.

10/16	3	to Oakland.	
10/21	4	to Oakland	car 45

Page Index.

22 James Watson.
24 25 R. A. Cockerlord
23 32 City of Dodson
27 Ezra A Johnson
28 Lewis Wilbur H.
29 Harry Coe
30 Alice Thornberg
33 Ray Farnsworth
34 Ewe Hoyle
35 Ed Stalling
4 J. R. Hudson
42 Floyd Orey
" " Crowell
36 Ed Schlink
37 38 L. W. Newland
45 Glenn Wells.
44 " "

W. P. BANK NOTE CO., TACOMA
Rite in the Rain

Page

INDEX

2 N E Workman & D. Yantes
3-4-45 Glen Wells
4 Stearns & O. Towne
5 Floyd Bates et al
6 " "
7 Henry Boosom
8 Ogred Rose
9 Clarance Antaut
10 Wayne Bergsden
13 Johnson
14-16 Ralph Sawyers
15 W. O. Reagan
11 G. D. Longton
12 G. Larsen
17 Lou Bridges
18 Bert Hill
12 J. M. Sparks
12-23 City of Dallas
19-26-45 Paul Berenhagen
18 Bert Hill
20 M. B. McGregor
21 A. H. Hubbard
21 Frank Cunningham
22 James K. Watson

Oregon State Board of Engineering Examiners

THIS IS TO CERTIFY THAT

Oscar F. Thiel
Yoncalla
Oregon

Registration Number 4

Date of Registration 3-10-44

Is a Registered Professional Land Surveyor of the State of Oregon and having paid his renewal fee is in good standing for the year of

1946

STATE BOARD OF ENGINEERING EXAMINERS

O F Thiel
Registrant's Signature

P. H. Gray
President

21 58 49,50
58 1 20
A R Gray
Sept 5 to Roseburg Eda
" 6 Sunny Plat
" 7 " R/ Forge 5-a

Edward Boyer
Chas Clements
Eckton